

J. C. NAPIER-HOMES

PROJECT TENN. NO. 5-2.


NASHVILLE TENN.

- INDEX OF DRAWINGS -					
- ARCHITECTURAL -		- STRUCTURAL -		- MECHANICAL -	
A-0	TITLE SHEET AND INDEX OF DRAWINGS	S-26	STRUCTURAL SITE PLAN OF PORINGS	M-48	UTILITIES SITE PLAN
X-1	TOPOGRAPHIC MAP	S-27	FRAMING & FOUNDATION PLAN BUILDING A	M-49	DETAILS OF YARD & CURB, CATCH BASIN AND VALVE BOX
X-2	PROPERTY LINE MAP	S-28	FRAMING & FOUNDATION PLAN BUILDING B	M-50	DETAILS OF MANHOLES, METER BOXES & VALVE BOXES, ETC.
X-3	UTILITY MAP	S-29	FRAMING & FOUNDATION PLAN BUILDING C	M-51	PLUMBING LAYOUT BUILDING A
A-1	ARCHITECTURAL SITE PLAN	S-30	FRAMING & FOUNDATION PLAN BUILDINGS D & E	M-52	PLUMBING LAYOUT BUILDING B
A-2	ARCHITECTURAL BLOCK PLAN I	S-31	FRAMING & FOUNDATION PLAN BUILDING F	M-53	PLUMBING LAYOUT BUILDING C
A-3	ARCHITECTURAL BLOCK PLAN II	S-32	FRAMING & FOUNDATION PLAN BUILDING G & DETAILS	M-54	PLUMBING LAYOUT BUILDINGS D & E
A-4	ARCHITECTURAL BLOCK PLAN III	S-33	COLUMN & FOOTING SCHEDULES BUILDINGS A, B, C, D, E, F & G	M-55	PLUMBING LAYOUT BUILDING F
A-5	ARCHITECTURAL BLOCK PLAN IV	S-34	UNIT FRAMING PLANS	M-56	PLUMBING LAYOUT BUILDING G
A-6	MISCELLANEOUS DETAILS OF SITE IMPROVEMENTS	S-35	TYPICAL & MISCELLANEOUS DETAILS	M-57	PLUMBING UNIT PLANS & RISER DIAGRAMS
A-7	FLOOR PLANS BUILDINGS A & B	S-36	ROOF DETAILS & SCHEDULES OF ALTERNATE #2 BLDGS. A TO G	M-58	PLUMBING & HEATING LAYOUT FOR ADM. SERVICE BLD.
A-8	FLOOR PLANS BUILDINGS C, D & E	S-37	ADM. SERV. BLD. FRAMING, FOUNDATION PLAN & DETAILS		
A-9	FLOOR PLANS BUILDINGS F & G				
A-10	UNIT PLANS 3L, 3R, 4 1/2 L & 4 1/2 R. DOOR & NO. SCHEDULE				
A-11	UNIT PLANS 4 1/2 - 5 1/2 EXT. & INT. DETAILS				
A-12	FRONT & RIGHT SIDE ELEVATIONS BUILDINGS A & F				
A-13	REAR & LEFT SIDE ELEVATIONS BUILDINGS A & F				
A-14	FRONT & RIGHT SIDE ELEVATIONS BUILDING B				
A-15	REAR & LEFT SIDE ELEVATIONS BUILDING B				
A-16	FRONT & RIGHT SIDE ELEVATIONS BUILDINGS C & E	E-38	ELECTRICAL SITE PLAN	L-59	LANDSCAPING PLANS BLOCK I
A-17	REAR & LEFT SIDE ELEVATIONS BUILDINGS C & E	E-39	MISCELLANEOUS ELECTRICAL DETAILS	L-60	LANDSCAPING PLANS BLOCK II
A-18	FRONT, RIGHT, REAR & LEFT ELEVATIONS BUILDING D	E-40	ELECTRICAL PLANS & RISER DIAGRAM BLDG. A	L-61	LANDSCAPING PLANS BLOCK III
A-19	FRONT & RIGHT SIDE ELEVATIONS BUILDING G	E-41	ELECTRICAL PLANS & RISER DIAGRAM BLDG. B	L-62	LANDSCAPING PLANS BLOCK IV
A-20	REAR & LEFT SIDE ELEVATIONS BUILDING G	E-42	ELECTRICAL PLANS & RISER DIAGRAM BLDG. C		
A-21	TYPICAL SECTION & EXTERIOR AND INTERIOR DETAILS	E-43	ELECTRICAL PLANS & RISER DIAGRAM BLDGS. D & E		
A-22	MISCELLANEOUS EXTERIOR & INTERIOR DETAILS	E-44	ELECTRICAL PLANS & RISER DIAGRAM BLDG. F		
A-23	MISCELLANEOUS EXTERIOR & INTERIOR DETAILS	E-45	ELECTRICAL PLANS & RISER DIAGRAM BLDG. G		
A-24	FLOOR PLANS & ELEVATIONS ADM. SERVICE BLDG.	E-46	ELECTRICAL UNIT PLANS 3L, 3R, 4 1/2 L & 4 1/2 R		
A-25	DETAILS ADM. SERV. BLD. & PROJ. CONSTRUCTION OFFICE	E-47	ELEC. UNIT PLANS 4 1/2 - 5 1/2 UNIT & ADM. SERVICE BLD.		

- ARCHITECTURAL - SYMBOLS -	
	BRICK
	TILE
	MARBLE
	CONCRETE
	STONE
	METAL (PLAN)
	EARTH
	WOOD
	PLASTER
	METAL (ELEVATION)

NOTE!
SEE ELECTRICAL, MECHANICAL, LANDSCAPING, UTILITIES, BLOCK PLANS, ETC. FOR THE SYMBOLS OF THE RESPECTIVE DRAWINGS.

TITLE SHEET & INDEX OF DRAWINGS.		
J. C. NAPIER HOMES PROJ. TENN. 5-2.		
FOR THE NASHVILLE HOUSING AUTHORITY NASHVILLE, TENN.		
SCALE	MARR & HOLMAN - ARCHITECTS	DATE
NO SCALE	701-3 STAHLMAN BLDG. NASHVILLE, TENN.	12-27-39
REVISIONS	APPROVED BY <i>Joseph Miller</i>	SHEET NO.
	APPROVED BY <i>J. C. Napier</i>	A
	APPROVED BY _____	O
	UNITED STATES HOUSING AUTHORITY	



BASEMENTS		
Location	Area in Sq. Ft.	Ay. Depth (Fr)
BLOCK B		
A	686	6
B	210	4
C	460	4
D	168	4.6
E	142.5	4.5
F	76.5	4.2
G	720	5
H	293.15	5
BLOCK A		
I	182	4
J	301.3	5.2
K	22.5	5
L	108	5.5
BLOCK D		
M	742.5	5
N	2133.6	5
O	106	5
BLOCK C		
P	638	4
T	1098.4	1.6
U	1006.5	3
S	1335	3.5
BLOCK E		
Q	240	3
R	233.6	1.6


PAVEMENTS		
Street	Type & Width	Condition
Lafayette	Asphalt - 32'	Fair
All others	Oil Macadam - 32'	Poor
Alleys	Gravel - As shown	

All elevations are 7.000ft. below City datum.
 Street elevations shown underscored, viz, 410.63,
 are from profiles in City Engineer's office.

I certify that this is a true and accurate survey of the area shown.
C.N. Harrub
 Engineer.
 I certify that I have examined this map and to the best of my knowledge
 and belief the streets and property lines are correctly shown.
J.O. Beasley
 City Engineer.

TOPOGRAPHIC MAP
 LOW RENT HOUSING PROJECT
 NASHVILLE HOUSING AUTHORITY
 Nashville, Davidson County, Tenn.
 C.N. Harrub Engineering Co., Engineers.
 Scale: 1 Inch = 40 Feet
 August 1939
 Tenn. 5-2
 Plan No. 2

DRAWING X-1
 THIS DRAWING IS FURNISHED BY THE
 NASHVILLE HOUSING AUTHORITY FOR THE
 CONVENIENCE OF THE CONTRACTOR, BUT
 IS NOT A PART OF THE CONTRACT DOCUMENTS.



TABULATION OF AREAS
BLOCK A 2.818 Ac.

Parcel No.	Area	Parcel No.	Area
1	0.1326 Ac.	11	0.1326 Ac.
2	0.1326 Ac.	12	0.1326 Ac.
3	0.1326 Ac.	13	0.1326 Ac.
4	0.1326 Ac.	14	0.1326 Ac.
5	0.1326 Ac.	15	0.1326 Ac.
6	0.1326 Ac.	16	0.1326 Ac.
7	0.1326 Ac.	17	0.1326 Ac.
8	0.1326 Ac.	18	0.1326 Ac.
9	0.1326 Ac.	19	0.1326 Ac.
10	0.1326 Ac.	20	0.1326 Ac.

BLOCK B 2.860 Ac.

21	0.1338 Ac.	31	0.2360 Ac.
22	0.1338 Ac.	32	0.0738 Ac.
23	0.1338 Ac.	33	0.1338 Ac.
24	0.1342 Ac.	34	0.1342 Ac.
25	0.1342 Ac.	35	0.1344 Ac.
26	0.1344 Ac.	36	0.1346 Ac.
27	0.1346 Ac.	37	0.0886 Ac.
28	0.1347 Ac.	38	0.0886 Ac.
29	0.1348 Ac.	39	0.1347 Ac.
30	0.0651 Alley	40	0.0709 Ac.
		41	0.1613 Alley

BLOCK C 4.022 Ac.

42	0.0663	57	0.0663
43	0.0683	58	0.0663
44	0.1125	59	0.1326
45	0.0643	60	0.1326
46	0.1326	61	0.1162
47	0.1326	62	0.1306
48	0.1326	63	0.1306
49	0.1326	64	0.1088
50	0.1326	65	0.1763
51	0.1194	66	0.1585
52	0.1194	67	0.1029
53	0.1342	68	0.1181
54	0.1194	69	0.1837
55	0.0823	70	0.1913
56	0.0803	71	0.0628
		72	0.0628
		73	0.1349
		74	0.1349
		75	0.1350
		76	0.1350
		77	0.0985
		78	0.0365
		79	0.2701
		80	0.1350
		81	0.1351
		82	0.1351
		83	0.1349
		84	0.1349
		85	0.1350
		86	0.1350
		87	0.1350
		88	0.1350
		89	0.1350
		90	0.2701
		91	0.1351
		92	0.1351
		93	0.1351
		94	0.1351
		95	0.1351
		96	0.1351
		97	0.1351

BLOCK D 2.659 Ac.

98	0.0663	102	0.0586
99	0.0625	103	0.2233
100	0.0620	104	0.0620
101	0.0891	105	0.0769
102	0.2302	106	0.0586
103	0.2064	107	0.2233

BLOCK E 1.814 Ac.

108	0.0663	112	0.2042
109	0.0625	113	0.2042
110	0.0620	114	0.3347
111	0.0891	115	0.0769
112	0.2302	116	0.0586
113	0.2064	117	0.2233

STREET AREAS

Robertson St.	0.8679 Ac.
Winfrey St.	0.4091 Ac.
Maury St.	1.0452 Ac.

TOTAL AREA 16.695 Ac.

I certify that this is a true and accurate survey of the area shown.

C. N. Harrub
Engineer

I certify that I have examined this map and to the best of my knowledge and belief the true street and alley lines are accurately shown.

J. B. ...
City Engineer


The area shown is a part of Maury & Claiborne's Addition on grant No. 188 from State of North Carolina to Jonas Manfrye on July 13 1788 as recorded in Book No. 21 Pages 84 & 85 Register's Office of Davidson County Tennessee.


PROPERTY LINE MAP
LOW RENT HOUSING PROJECT
NASHVILLE HOUSING AUTHORITY
Nashville Davidson County Tenn.
C. N. Harrub-Engineering Co. Engineers

Scale: 1 Inch = 40 Feet
August 1939
Tenn 5-2
Plan No. 1

DRAWING X-2

THIS DRAWING FURNISHED BY THE NASHVILLE HOUSING AUTHORITY FOR THE CONVENIENCE OF THE CONTRACTOR, BUT IS NOT A PART OF THE CONTRACT DOCUMENTS.





LEGEND

- Telephone pole
- Power pole
- Gas main
- Water main & valve
- Fire hydrant
- Sewer & manhole
- Catch basin
- Alley Grate

I certify that this is a true and accurate survey of the area shown.

C. N. Harrub
Engineer

I hereby certify that I have examined this map and to the best of my knowledge and belief the true street and property lines are correctly shown.

J. O. Bradley
City Engineer.

UTILITY MAP
 LOW RENT HOUSING PROJECT
 NASHVILLE HOUSING AUTHORITY
 Nashville Davidson County Tenn.
 C. N. Harrub Engineering Co. Engineers
 Scale 1 Inch = 40 Feet
 August 1939
 Tenn 5-2
 Plan No. 3




DRAWING X-3

THIS DRAWING FURNISHED BY THE NASHVILLE HOUSING AUTHORITY FOR THE CONVENIENCE OF THE CONTRACTOR, BUT IS NOT A PART OF THE CONTRACT DOCUMENTS.


Information on water main obtained from City Water Department
 Information on sewers obtained from City Engineering Department
 Information on gas mains obtained from Nashville Gas & Heating Company
 Telephone lines are owned by Southern Bell Telephone Company
 Power lines are owned by Nashville Electric Service

GENERAL NOTE:

EXISTING RETAINING WALLS SHOWN ON THE BLOCK PLANS ARE TO BE REMOVED AND NO NEW RETAINING WALLS ARE TO BE CONSTRUCTED. EXISTING BASEMENTS ARE TO BE FILLED TO THE LEVEL OF FINISHED GRADES SHOWN ON THE PLANS. EXISTING SIDEWALKS, CURBS, AND GUTTERS INSIDE THE FOUR BOUNDARY STREETS OF THE PROJECT ARE TO BE REMOVED. STREET PAVING IS TO BE SCARIFIED FOR THE DEPTH OF THE PAVING, AND REMOVED OR FILLED OVER AS THE FINISHED GRADES REQUIRED. MAN HOLES, CATCHBASINS, AND SEWERS INSIDE THE PROJECT, WHERE NOT UTILIZED AND AS SHOWN ON THE UTILITIES SITE PLAN, ARE TO BE LOWERED BELOW GRADE AND CAPPED PERMANENTLY. SURFACE OF THE ENTIRE AREA BETWEEN BUILDINGS, SITTING AREAS, SIDEWALKS, SERVICE DRIVES, AND BORDERING STREETS IS TO BE GRADED UNIFORMLY BETWEEN SPOT GRADES SHOWN ON THE BLOCK PLANS. FLOOD GRADES SHALL MEET EXISTING AND NEW SIDEWALK GUIDES AROUND THE FOUR BORDERING STREETS, AND WHERE TERRACES ARE INDICATED, SLOPE OF SAME WILL BE 2% TO 1 AS A MINIMUM.



NOTE:
THIS SHEET IS DIAGRAMMATIC SEE BLOCK PLANS FOR COMPLETE INFORMATION, ALL DIMENSIONS, WALKS, GRIDS, ETC.




SCHEDULE OF BUILDINGS

BLDG. TYPE	NO. OF BLDGS.	DWELLING UNITS		TOTAL D.U.	TOTAL SQUARE FEET
		3	4 1/2		
A	4	28	20	48	256
B	8	16	48	64	352
C	2	8	10	18	102
D	8	32	16	48	168
E	4	16	16	32	164
F	1	4	2	6	50
G	8	16	48	64	352
TOTAL	35	92	172	264	1424

ARCHITECTURAL SITE PLAN
J. C. NAPIER HOMES PROJ. TENN. 5-2
 FOR THE NASHVILLE HOUSING AUTHORITY
 NASHVILLE, TENN.

MARR & HOLMAN ARCHITECTS
 701-3 STAHLMAN BLDG. NASHVILLE, TENN.
 APPROVED BY *Joseph Holman*
 CHAIRMAN - THE NASHVILLE HOUSING AUTHORITY



DATE: 12-27-33
 SHEET NO. **A.1**



LEGEND

A	TYPE OF BUILDING
1/2 L	TYPE OF UNIT PLAN
Y.H.	YARD HYDRANT
C.P.	CLOTHES POLE
L.P.	LIGHT POLE
L.C.	LIGHT BRACKET
L.S.	LIGHT STANDARD
T.C.	TOP OF CURB
C.C.B.	CURB CATCH BASIN
Y.C.B.	YARD CATCH BASIN
G	GARAGE COLLECTION POINT
M.H.	MANHOLE
	EXISTING CONTOURS
	ASH COLLECTION POINT
	FINISHED GRADE
	EXISTING GRADE

NOTE!
 WIDTH OF WALKS LEADING FROM BUILDINGS:
 FRONT WALKS FROM SINGLE UNITS 3'-0" WIDE
 FRONT WALKS FROM DOUBLE UNITS 4'-0" WIDE
 REAR WALKS 2'-0" FOR ALL UNITS.



EXISTING BASEMENTS TO BE FILLED

AREA	AREA IN SQ. FT.	AVERAGE DEPTH IN FT.
A	480.0	6.0
B	210.0	4.0
C	460.0	4.0
D	165.0	4.6
E	182.5	4.5
F	76.5	4.2
G	720.0	5.7
H	225.15	5.0


GENERAL NOTE:
 ALL ELEVATIONS ARE 7.000' BELOW CITY DATUM.

ARCHITECTURAL BLOCK PLAN I
 J.C. NAPIER HOMES PROJ. TENN. 5-2
 FOR THE NASHVILLE HOUSING AUTHORITY
 NASHVILLE, TENN.

SCALE: 1" = 20'	MARR & HOLMAN - ARCHITECTS 704-3 STAHLMAN BLDG. NASHVILLE, TENN.	DATE: 12-27-37
DESIGNED BY: [Signature]	APPROVED BY: [Signature]	SHEET NO. A.2.
APPROVED BY: [Signature]	CHIEF ENGINEER, THE NASHVILLE HOUSING AUTHORITY	
APPROVED BY: [Signature]	UNITED STATES HOUSING AUTHORITY	



WINFREY ST.

LEWIS STREET



LEGEND

▲	TYPE OF BUILDING
▲	TYPE OF UNIT PLAN
▲	ASH COLLECTION POINT
Y.H.	YARD HYDRANT
C.P.	CLOTHES POLE
L.P.	LIGHT POLE
L.B.	LIGHT BRACKET
L.S.	LIGHT STANDARD
T.C.	TOP OF CURB
C.C.B.	CURB CATCH BASIN
Y.C.B.	YARD CATCH BASIN
G	GARBAGE COLLECTION POINT
M.H.	MAN HOLE
---	EXISTING CONTOUR
---	FINISHED GRADE
---	RAILING GRADE



EXISTING BASEMENT AREAS TO BE FILLED

MARK	AREA IN SQ. FT.	AVERAGE DEPTH IN FT.
M	742.5	5
N	2138.6	5
O	106.0	5
Q	260.4	3
R	232.6	1.6

GENERAL NOTE
ALL ELEVATIONS ARE 7,000' BELOW CITY DATUM.

ARCHITECTURAL BLOCK PLAN II
J.C. NAPIER HOMES PROJ. TENN. 5-2.
FOR THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.


SCALE: 1" = 20'
DATE: 12-27-39

DESIGNED BY: MARR & HOLMAN - ARCHITECTS
704-3 STAGMAN BLDG., NASHVILLE, TENN.
APPROVED BY: [Signature]


APPROVED BY: [Signature]
CHIEF ENGINEER, NASHVILLE HOUSING AUTHORITY

APPROVED BY: [Signature]
UNITED STATES HOUSING AUTHORITY

SHEET NO. **A 3.**



NOTE!
WIDTH OF WALKS LEADING FROM BUILDINGS:-
FRONT WALK FROM SINGLE UNITS 3'-0" WIDE.
FRONT WALK FROM DOUBLE UNITS 4'-0" WIDE
REAR WALKS 2'-0" WIDE FOR ALL UNITS.





NOTE!
CONTAINING VALLEY THROUGH PARKING AREA

FOR WORK BEYOND THIS LINE SEE BLOCK IV



FOR WORK BEYOND THIS LINE SEE BLOCK III

THE GRADES AT FRONT STAIR, STAIR AND SIDEWALK OR BUILDING CURB SEE BLOCK PLAN NO. III.



LEGEND

+	TYPE OF BUILDING
4 1/2 L	TYPE OF UNIT PLAN
Y.B.	YARD BY-LAW
C.P.	CURB CUT
L.P.	LIGHT POLE
L.D.	LIGHT DRAUGHT
L.S.	LIGHT STANDARD
T.C.	TOP OF CURB
CCB	CURB CUT BASIN
YCB	YARD CATCH BASIN
G	GENERAL COLLECTION POINT
M.H.	MEN HOLE
---	EXISTING CURBLINE
---	NEW COLLECTION POINT
---	EXISTING GARD
---	PROPOSED GARD



PARTIAL-PLAN
(SHOWING PLAN OF WALKS
WITH BLDG. A-71 OMITTED
SEE SPECIFICATIONS)
SCALE 1" = 20'-0"

ARCHITECTURAL BLOCK PLAN III
J. C. NAPIER HOMES PROJ. TENR. 3-2
 FOR THE NASHVILLE HOUSING AUTHORITY
 NASHVILLE, TENN.

SCALE: 1" = 20'

MARR & HOLMAN ARCHITECTS
 709-3 STAMMAN BLDG. NASHVILLE, TENN.
 APPROVED BY: *[Signature]*

APPROVED BY: *[Signature]*
 CH. ENGR. THE NASHVILLE HOUSING AUTHORITY


DATE: 7-27-29
 SHEET NO: A-4

Note!
 WIDTH OF WALKS LEADING FROM BUILDINGS:
 FRONT WALK FROM SINGLE UNITS 3'-0" WIDE
 FRONT WALK FROM DOUBLE UNITS 4'-0" WIDE
 REAR WALKS 2'-0" WIDE FOR ALL UNITS.


EXISTING BASEMENTS TO BE FILLED:

MARK	AREA IN SQ. FT.	AVERAGE DEPTH IN FT.
T	1098.4	1.6
U	1806.5	3.0
P	638.0	4.0

Note!
 Block Unit Area
 is Area of Service
 Drive




DETAIL OF CURB COLLECTION
 PLATFORMS - WARE - REAR - WALKS
 INTERSECT - SERVICE - DRIVES -
 Scale 1/2" = 1'-0"




DETAIL OF CURB AROUND
 SERVICE COURT AT
 BUILDING Z (ADMINISTRATION
 BUILDING)
 Scale 1/2" = 1'-0"

GENERAL NOTE -
 ALL ELEVATIONS ARE 7.000 FT. BELOW CITY DATUM.



LEGEND

A	TYPE OF BUILDING
4% L	NUMBER OF BUILDING
	TYPE OF UNIT PLAN
Y.H.	YARD HYDRANT
C.P.	CLOTHES POLE
L.P.	LIGHT POLE
L.B.	LIGHT BRACKET
L.S.	LIGHT STANDARD
T.C.	TOP OF CURB
C.C.B.	CURB CATCH BASIN
Y.C.B.	YARD CATCH BASIN
G	GARBAGE COLLECTION POINT
M.H.	MAN HOLE
	EXISTING CONTOURS
A.S.P.	ASH COLLECTION POINT
	FINISHED GRADE
	EXISTING GRADE




EXISTING BASEMENTS TO BE FILLED

MARK	AREA IN SQ. FT.	AVERAGE DEPTH IN FT.
J	123.0	4.0
K	304.3	5.2
L	225.0	5.0
L	106.0	5.5

LANNON STREET

CLAIRBORNE STREET

KEY PLAN
















NOTE!
 WIDTH OF WALKS LEADING FROM BUILDINGS
 FRONT WALKS FROM SINGLE UNITS 3'-0" WIDE.
 FRONT WALKS FROM DOUBLE UNITS 4'-0" WIDE
 REAR WALKS 2'-0" WIDE FOR ALL UNITS.










GENERAL NOTE:
 ALL ELEVATIONS ARE 7.000' BELOW CITY DATUM

ARCHITECTURAL BLOCK PLAN IV
 J.C. NAPIER HOMES PROJ. TENN. 52
 FOR THE NASHVILLE HOUSING AUTHORITY
 NASHVILLE, TENN.


SCALE 1" = 20'	MARR & HOLMAN - ARCHITECTS 704-3 STANLEY BLDG. NASHVILLE, TENN. APPROVED BY <i>J. Napier</i>	DATE 12-27-39
REVISIONS	APPROVED BY <i>J. Napier</i> CHIEF ENGINEER, NASHVILLE HOUSING AUTHORITY	SHEET NO. A 5
	APPROVED BY _____ UNITED STATES HOUSING AUTHORITY	




DETAILS OF FLAG POLE




MISCELLANEOUS DETAILS OF SITE IMPROVEMENTS		
J.C. NAPIER HOMES PROJ. TENN. 5-2		
THE NASHVILLE HOUSING AUTHORITY NASHVILLE, TENN.		
SCALE AS NOTED	MARR & HOLMAN ARCHITECTS 703-3 STAHLMAN BLDG. NASHVILLE, TENN. APPROVED BY <i>[Signature]</i>	DATE 12-22-29
REVISIONS	APPROVED BY <i>[Signature]</i> CHIEF ENGINEER THE NASHVILLE HOUSING AUTHORITY	SHEET NO. A
	APPROVED BY <i>[Signature]</i> UNITED STATES HOUSING AUTHORITY	6.




SECOND FLOOR PLAN
199'-2"



FIRST FLOOR PLAN
TYPE "A" BUILDING.
SCALE 1/8" = 1'-0"




SECOND FLOOR PLAN
150'-10"




FIRST FLOOR PLAN
TYPE "B" BUILDING SCALE 1/8" = 1'-0"

NOTE: FOR DOOR AND WINDOW NUMBERING SEE 1/4" SCALE UNIT PLANS FOR COMPLETE DIMENSIONS.


FLOOR PLANS BUILDINGS A AND B FOR J.C. NAPIER HOMES PROJ. TENN. 5-2 THE NASHVILLE HOUSING AUTHORITY NASHVILLE, TENN.		
SCALE $\frac{1}{8}'' = 1'-0''$ REGION	MARR & HOLMAN - ARCHITECTS 701-3 STANLUM BLDG. NASHVILLE, TENN. APPROVED BY <i>[Signature]</i> APPROVED BY <i>[Signature]</i> APPROVED BY _____	DATE 12-27-59 SHEET NO. A 7.




SECOND FLOOR PLAN
SCALE 1/8"=1'-0"




FIRST FLOOR PLAN
TYPE "D" BUILDING
SCALE 1/8"=1'-0"




SECOND FLOOR PLAN
SCALE 1/8"=1'-0"



FIRST FLOOR PLAN
TYPE "E" BUILDING
SCALE 1/8"=1'-0"



SECOND FLOOR PLAN
SCALE 1/8"=1'-0"




FIRST FLOOR PLAN
TYPE "C" BUILDING
SCALE 1/8"=1'-0"

NOTE! FOR DOOR AND WINDOW NUMBERING SEE 1/4" SCALE UNIT PLANS. SEE 1/4" SCALE FLOOR PLANS FOR COMPLETE DIMENSIONS.


- FLOOR PLANS -
- BUILDINGS C, D & E.

J. C. NAPIER HOMES PROJ. TENN. 5-2
FOR
THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.


SCALE 1/8"=1'-0"	MARR & HOLMAN - ARCHITECTS 701-3 STARKMAN BLDG. NASHVILLE, TENN.	DATE 7-27-59
REVISIONS	APPROVED BY <i>Joseph Miller</i>	SHEET NO.
	APPROVED BY <i>J. A. Cappel</i>	8.
	APPROVED BY UNITED STATES HOUSING AUTHORITY	




SECOND FLOOR PLAN



FIRST FLOOR PLAN
TYPE F BUILDING.
SCALE 1/8" = 1'-0"



SECOND FLOOR PLAN



FIRST FLOOR PLAN
TYPE G BUILDING.
SCALE 1/8" = 1'-0"

J. C. NAPIER HOMES
MARR & HOLMAN ARCHITECTS
CONTRACTORS NAME BUILDING

Change 6/11/30 to be approved

25'-0"

DETAIL OF SIGN.
(SEE SPECIFICATIONS)
SCALE 1/4" = 1'-0"

NOTE: FOR DOOR AND WINDOW NUMBERING
SEE 1/4" SCALE UNIT PLANS
SEE 1/4" SCALE UNIT PLANS FOR COMPLETE
DIMENSIONS

FLOOR PLANS
BUILDINGS F AND G
J.C. NAPIER HOMES PROJ. TENN. 5-2
FOR THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.






SCALE 1/8" = 1'-0"

MARR & HOLMAN - ARCHITECTS
224-5 STAHLMAN BLDG. NASHVILLE, TENN.
APPROVED BY *J. C. Napier*

APPROVED BY *J. C. Napier*
CHIEF, THE NASHVILLE HOUSING AUTHORITY

APPROVED BY _____
UNITED STATES HOUSING AUTHORITY


DATE 12-27-39
SHEET NO. A
9



DOOR SCHEDULE

TYPE	DOOR SIZE	REMARKS
1	2'-10" x 6'-11 1/2" x 1 1/2"	SEE SHEET A-20
2	1'-8" x 6'-8" x 1 1/2"	do
3	2'-8" x 6'-8" x 1 1/2"	do
4	2'-0" x 6'-8" x 1 1/2"	do
10	2'-0" x 2'-7 1/2" x 1 1/2"	SEE SHEET A-11

DOOR TYPE 1 TO HAVE 1 1/2" WOOD SCREEN.



F.S. INTERIOR DOOR DETAIL (ALTERNATE)
THIS DETAIL APPLIES ONLY IF ALTERNATE #6 IS ACCEPTED. WOOD FRAME 1 1/2" x 4 1/2" PLASTER IS OMITTED.

WINDOW SCHEDULE

TYPE	MRS. OP'G. SIZE	REMARKS
A	6'-0" x 4'-10 1/2"	WOOD DR. INS. SITS 1/2" IN
B	2'-11 1/2" x 4'-10 1/2"	do
C	3'-8 1/2" x 4'-10 1/2"	do
D	2'-2" x 4'-2 1/2"	do

ALL WINDOWS TO HAVE SINGLE SLIDING 1/2" WOOD SCREENS. SEE A-20 DETAIL SHEET 22 SURVEY OF 2ND FL. NOS. D & E 2/16.

NOTE: HEIGHT OF 2ND FL. WINDOWS A AND B BESET IN 10" WALLS EXCEPT 4" IN 10" FROM BRICK SILL TO WOOD SILL ABOVE. SEE FULL SIZE DETAIL SHEET 22 SURVEY OF 2ND FL. NOS. D & E 2/16.

ALTERNATE WINDOW SCHEDULE

TYPE	MRS. OP'G. SIZE	REMARKS
A	6'-0" x 4'-10 1/2"	STEEL CASING SEE SHEET 21
B	2'-11 1/2" x 4'-10 1/2"	do
C	3'-8 1/2" x 4'-10 1/2"	do
D	2'-2" x 4'-2 1/2"	do

NOTES: SEE STRUCTURAL, ELECTRICAL AND PLUMBING DRAWINGS FOR DETAILS OF THEIR RESPECTIVE WORK.

UNIT PLANS 3L, 3R, 4 1/2 L AND 4 1/2 R. DOOR AND WINDOW SCHEDULES.

J.C. NADIER HOMES PROJ. TENN. 5-2

FOR THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE: 1/4" = 1'-0"

MARR & HOLMAN - ARCHITECTS
701-3 STAHLMAN BLDG. NASHVILLE, TENN.





APPROVED BY: *[Signature]*

APPROVED BY: *[Signature]*


APPROVED BY: *[Signature]*

DATE: 12-27-59


SHEET NO. A 10.



NOTE: KITCHEN EQUIPMENT MARKED N.I.C. ON 1/4" SCALE UNIT PLANS IS NOT INCLUDED IN GENERAL CONTRACT.




SECOND FLOOR PLAN SCALE 1/4" = 1'-0" NOTICE! SEE DOOR AND WINDOW SCHEDULES ON SHEET NO. A-9




FIRST FLOOR PLAN SCALE 1/4" = 1'-0"

FIRST FLOOR PLAN OF FRONT HALL WHERE GRADE ELEVATIONS CHANGE TO BE TOWARD CENTER OF UNIT. 4 1/2 - 5 1/2 ROOM UNIT




ELEVATION SCALE 1/4" = 1'-0"

PLAN OF REAR STOOPS SCALE 1/4" = 1'-0"




ELEVATION SHOWING REAR STOOPS WHERE FLOOR ELEVATIONS OF UNITS BREAK AT CENTER OF DOUBLE ENTRANCE. SCALE 1/4" = 1'-0"


F.S. SECTION OF BIN AT WALL




DETAIL OF HANDRAIL & CONNECTION SCALE 3/4" = 1'-0"




ELEVATION OF STEEL STAIRS 4 1/2 & 4 1/2 - 5 1/2 RM UNITS SCALE 3/4" = 1'-0"



SECTION THROUGH STAIRS 3 RM UNIT SCALE 3/4" = 1'-0"




PLAN OF STEEL STAIRS IN 4 1/2 & 4 1/2 - 5 1/2 RM UNITS SCALE 3/4" = 1'-0"



PLAN OF STEEL STAIR 3 ROOM UNIT SCALE 3/4" = 1'-0"


NOTE 5!
SEE STRUCTURAL, ELEC, AND PLUMBING DRAWINGS FOR DETAILS OF THEIR RESPECTIVE WORK.
KITCHEN EQUIPMENT MARKED N.T.C. IS NOT INCLUDED IN GENERAL CONTRACT

UNIT PLANS 4 1/2 - 5 1/2 EXTERIOR AND INTERIOR DETAILS		
J.C. NAPIER HOMES PROJ. TENN. 5-2 FOR THE NASHVILLE HOUSING AUTHORITY NASHVILLE, TENN.		
SCALE AS NOTED	MARR & HOLMAN - ARCHITECTS 700-3 STANLEY BLDG. NASHVILLE, TENN.	DATE 12-27-39
REVISIONS 8-6-40	APPROVED BY [Signature]	SHEET NO. 11
	APPROVED BY [Signature]	
	APPROVED BY [Signature]	



ALTERNATE ROOF - FRONT


ALTERNATE ROOF - RIGHT




FRONT ELEVATIONS

RIGHT ELEVATIONS


A
65
BLOCK II




A
60
BLOCK I



A
71
BLOCK III




A
77
BLOCK IV



ALTERNATE ROOF - FRONT

ALTERNATE ROOF - RIGHT



FRONT ELEVATION

RIGHT ELEVATION


F
72
BLOCK III

NOTE: ALL ELEVATIONS SHOWN ARE TO BE SET BELOW CITY DRAIN
 GRADE UNLESS SHOWN OTHERWISE. GRADE
 GRADE UNLESS SHOWN OTHERWISE. GRADE

FRONT AND RIGHT SIDE ELEVATIONS
 - BUILDINGS A AND F -


J.C. NAPIER HOMES, PROJ. TENN. S-2
 FOR
 THE NASHVILLE HOUSING AUTHORITY
 NASHVILLE, TENN.

SCALE 1/8" = 1'-0"	MARR & HOLMAN - ARCHITECTS 701-3 STAHLMAN BLDG. NASHVILLE, TENN.	DATE 12-27-39
REVISIONS	APPROVED BY <i>J.P. Taylor</i> CHIEF - THE NASHVILLE HOUSING AUTHORITY	SHEET NO. A 12
APPROVED BY UNITED STATES HOUSING AUTHORITY		



ALTERNATE ROOF - REAR

ALTERNATE ROOF - LEFT




REAR ELEVATIONS

LEFT ELEVATIONS


A
65

BLOCK II




A
60

BLOCK I




A
71

BLOCK III




A
77

BLOCK IX



ALTERNATE ROOF - REAR

ALTERNATE ROOF - LEFT



REAR ELEVATION

LEFT ELEVATION

F
72

BLOCK III

NOTE! ALL ELEVATIONS SHOWN ARE TO BE OBTAINED FROM THE
 GRADE LINES SHOWN ONLY ARE RAISED GRADES
 GRADE LINES SHOWN BEHIND ARE ORIGINAL GRADES

REAR AND LEFT SIDE ELEVATIONS
 BUILDINGS A AND F

J.C. NAPIER HOMES PROJ. TENN. 5-2.

THE NASHVILLE HOUSING AUTHORITY
 NASHVILLE, TENN.

SCALE: MARR & HOLMAN - ARCHITECTS
 700 S. STANLEY BLDG. NASHVILLE, TENN.

DATE: 7-27-29

APPROVED BY: [Signature]

APPROVED BY: [Signature]

APPROVED BY: [Signature]

APPROVED BY: [Signature]

APPROVED BY: [Signature]


APPROVED BY: [Signature]

APPROVED BY: [Signature]


APPROVED BY: [Signature]

APPROVED BY: [Signature]


A
13.




B
52
BLOCK I




B
54
BLOCK I




B
61
BLOCK II




B
63
BLOCK II




B
70
BLOCK III



B
76
BLOCK IV



B
81
BLOCK IV



B
83
BLOCK IV

NOTE: ALL ELEVATIONS SHOWN ARE 7.0 FEET BELOW CITY LOTTING.

FRONT AND RIGHT SIDE ELEVATIONS
BUILDING D:

J. C. NAPIER HOMES PROJ. TENN. 5-2.
FOR
THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE: 1/8" = 1'-0"

MARR & HOLMAN ARCHITECTS
201-3 STAHLMAN BLDG. NASHVILLE, TENN.

APPROVED BY: [Signature]

APPROVED BY: [Signature]

APPROVED BY: [Signature]


CHIEF ENGINEER, THE NASHVILLE HOUSING AUTHORITY

APPROVED BY: [Signature]


UNITED STATES HOUSING AUTHORITY

DATE: 12-27-39


SHEET NO: A
14




ALTERNATE ROOF - REAR.



ALTERNATE ROOF - LEFT





REAR ELEVATIONS





LEFT ELEVATIONS



B
52
BLOCK I





B
54
BLOCK I





B
61
BLOCK II





B
63
BLOCK II





B
70
BLOCK III



B
76
BLOCK IV



B
81
BLOCK IV



B
83
BLOCK IV


NOTE: ALL ELEVATIONS SHOWN ARE 7'00" OFF, DALLAS CITY DATUM. GREEN LINES SHOW SLOPE FOR FLOORING. GREEN GRAY LINES SHOW EXISTING AND ALTERNATE GRASSES.

REAR AND LEFT SIDE ELEVATIONS - BUILDING D:

J.C. NAPIER HOMES PROJ. TENN. 5-2.


FOR THE NASHVILLE HOUSING AUTHORITY NASHVILLE, TENN.

SCALE	MARR & HOLMAN - ARCHITECTS	DATE
1/8" = 1'-0"	701-3 STAHLMAN BLDG. NASHVILLE, TENN.	12-27-28
REVISIONS	APPROVED BY <i>[Signature]</i>	SHEET NO.
	APPROVED BY <i>[Signature]</i>	A
	APPROVED BY THE NASHVILLE HOUSING AUTHORITY	15
	APPROVED BY UNITED STATES HOUSING AUTHORITY	



ALTERNATE ROOF - FRONT

ALTERNATE ROOF - RIGHT




FRONT ELEVATION

RIGHT ELEVATIONS


C
68

BLOCK II




C
69

BLOCK II



ALTERNATE ROOF - FRONT

ALTERNATE ROOF - RIGHT




FRONT - ELEVATIONS

RIGHT ELEVATIONS


E
58

BLOCK I




E
74

BLOCK III



E
75

BLOCK IV



E
85

BLOCK IV

NOTE: ALL ELEVATIONS SHOWN ARE FINISH, BELOW CITY DATUM. GRADE LINES SHOWN WITH FINISHED GRADES. GRADE LINES SHOWN DASHED ARE NATURAL GRADES.

FRONT AND RIGHT SIDE ELEVATIONS. BUILDINGS C AND E.

J.C. NAPIER HOMES PROJ. TENN. 5-2.

FOR THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE: 1/8" = 1'-0"

MARR & HOLMAN - ARCHITECTS
701-3 STANLEY BLDG. NASHVILLE, TENN.

APPROVED BY: *[Signature]*


APPROVED BY: *[Signature]*

APPROVED BY: *[Signature]*


DATE: 12-27-39

SHED NO. **A 16.**


UNITED STATES HOUSING AUTHORITY




C
68
BLOCK II




C
69
BLOCK II




E
58
BLOCK I



E
74
BLOCK III



E
75
BLOCK IV





E
85
BLOCK II

NOTE: ALL ELEVATIONS SHOWN ARE 7.00 FT. BELOW CITY DATUM.
 CHANGING DIMENSIONS TO BE INDICATED BY CHANGES.
 CHANGING DIMENSIONS TO BE INDICATED BY CHANGES.


"REAR AND LEFT SIDE ELEVATIONS"
- BUILDINGS C & E -

J. C. NAPIER HOMES PROJ. TENN. 5-2
 FOR
 THE NASHVILLE HOUSING AUTHORITY
 NASHVILLE, TENN.


SCALE 1/8" = 1'-0"	MARR & HOLMAN - ARCHITECTS 204 S. STANBURN BLDG. - NASHVILLE, TENN.	DATE 12-27-37
DESIGNED BY <i>[Signature]</i>	APPROVED BY <i>[Signature]</i>	SHEET NO. A 17.
APPROVED BY <i>[Signature]</i>	CHIEF ENGINEER NASHVILLE HOUSING AUTHORITY	




D
57
BLOCK I




D
58
BLOCK I




D
66
BLOCK II




D
67
BLOCK II



D
73
BLOCK III



D
78
BLOCK III



BLOCK IV
D
79

NOTE!
CHECK LINES SHOWING SLOPE AND FINISH GRADES
CHECK LINES SHOWING EXISTING AND PROPOSED GRADES
ALL ELEVATIONS SHOWN
ARE TO BE OBTAINED FROM
THE TOWN OF CHICAGO CITY, ILLINOIS.

FRONT, RIGHT, REAR AND LEFT ELEVATIONS
- BUILDING D -

J. C. NAPIER HOMES - PROF. TENN. 5-2.

THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE: 1/4" = 1'-0"

MARR & HOLMAN - ARCHITECTS
701-3 STAMMAN BLDG. NASHVILLE, TENN.

APPROVED BY: *[Signature]*


APPROVED BY: *[Signature]*


APPROVED BY: *[Signature]*

UNITED STATES HOUSING AUTHORITY


D
80

A
18.







G
55
BLOCK I




G
59
BLOCK I




G
62
BLOCK II




G
64
BLOCK II




G
82
BLOCK II



G
51
BLOCK I



G
55
BLOCK I





G
84
BLOCK II

NOTE: ALL ELEVATIONS SHOWN ARE 7'-0" FEET BELOW CITY DATUM.
GRADE LINES SHOWN SHALL BE FINISHED GRADE.
GRADE LINES SHALL BE SHOWN AND NOTED.


FRONT AND RIGHT SIDE ELEVATIONS
BUILDING G
J.C. NAPIER HOMES PROJ. TENN. 5-2
FOR
THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE: 1/8" = 1'-0"
DESIGNED BY: MARR & HOLMAN ARCHITECTS
APPROVED BY: [Signature]
APPROVED BY: [Signature]
APPROVED BY: [Signature]


DATE: 7-27-70
REVISION: A
19




G
55
BLOCK I




G
59
BLOCK I




G
62
BLOCK II




G
64
BLOCK II




G
82
BLOCK IX



G
51
BLOCK I



G
53
BLOCK I




G
84
BLOCK IX

NOTE: ALL ELEVATIONS SHOWN ARE 7.00 BELOW CITY DATUM.
GRADE LINES SHOWN SOLID AND FINISHED GRADES
GRADE LINES SHOWN DASHED AND FINISHED GRADES.

REAR AND LEFT SIDE ELEVATIONS
- BUILDING G -

J.C. NAPIER HOMES PROJ. TENR. 5-2
FOR
THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE 1/8" = 1'-0"	MARR & HOLMAN ARCHITECTS 704 1/2 STANLHAM BLDG. NASHVILLE, TENN.	DATE 12-27-39
REVISIONS	APPROVED BY <i>[Signature]</i> OWNER - THE NASHVILLE HOUSING AUTHORITY	SHEET NO. A 20
	APPROVED BY UNION STATES HOUSING AUTHORITY	



ALTERNATE DETAIL FOR FLAT ROOF
SCALE 3/8" = 1'-0"

DETAIL OF CHIMNEY CAP
SCALE 3/8" = 1'-0"
SECTION DRAWN ON LINE A-A

FLAT ROOF CORNICE DETAIL
Scale 3/8" = 1'-0"

PLAN OF CHIMNEY FOR 42 & 42-52 UNITS
Scale 3/8" = 1'-0"

FIRST FLOOR PLAN OF CHIMNEY FOR 3-3 UNITS
Scale 3/8" = 1'-0"

SECOND FLOOR PLAN
Scale 3/8" = 1'-0"

ELEVATIONS - SCALE 3/8" = 1'-0"
SECTIONS - SCALE 3/8" = 1'-0"
STEEL WINDOW DETAILS - NOTE THESE DETAILS APPLY ONLY IF ALTERNATE NO. 3 IS ACCEPTED


TYPICAL METAL STAIR DETAIL
SCALE 3/8" = 1'-0"

SECTION THROUGH BUILDING
TAKEN THROUGH 42-52 UNIT RACING STAIRWAY.
SCALE 3/8" = 1'-0"


TYPICAL SECTION AND EXTERIOR AND INTERIOR DETAILS.
J.C. NAPIER HOMES PROJ. TENN. 5-2.
 THE NASHVILLE HOUSING AUTHORITY
 NASHVILLE, TENN.

SCALE	MARR & HOLMAN - ARCHITECTS	DATE
AS SHOWN	70-3 STAHLMAN BLDG. NASHVILLE, TENN.	12-27-39
REVISIONS	APPROVED BY [Signature]	DRAWN BY
	APPROVED BY [Signature]	DATE
	APPROVED BY [Signature]	21.


NOTE: SEE SCALE UNIT PLANS FOR WINDOW & DOOR LOCATIONS. SEE V.S. SCALE ELEVATIONS FOR LOCATIONS & SIZES OF STEPS FRONT AND REAR.




FULL SIZE TYPICAL DOUBLE-HUNG WINDOW.




FULL SIZE AT 1/4\"/>




FULL SIZE TYPICAL EXTERIOR DOOR FRAMES



SECTION THRU CORNICE















PLAN SHOWING ANGLE OF DOOR FOR 42 & 42-52 UNITS - 2ND FLOOR.




FULL SIZE DETAIL OF COMBINATION JAMB AND TRIM FOR ALL DOORS


MISCELLANEOUS EXTERIOR AND INTERIOR DETAILS.		
J.C. NAPIER HOMES PROJ. TENN-52		
FOR THE NASHVILLE HOUSING AUTHORITY NASHVILLE, TENN.		
SCALE AS NOTED	MARR & HOLMAN ARCHITECTS 701-3 STAHLMAN BLDG. NASHVILLE, TENN.	DATE 12-27-37
REVISIONS	APPROVED BY [Signature]	SHEET NO. A 22
	APPROVED BY [Signature]	UNITED STATES HOUSING AUTHORITY




MISCELLANEOUS EXTERIOR AND INTERIOR DETAILS.		
J.C. NAPIER HOMES PROJ. TENN. 52		
THE NASHVILLE HOUSING AUTHORITY NASHVILLE, TENN.		
SCALE AS NOTED	MARR & HOLMAN ARCHITECTS 700-3 STAHLMAN BLDG. NASHVILLE, TENN.	DATE 12-27-37
REVISIONS	APPROVED BY [Signature]	SHEET NO. A 23
	APPROVED BY [Signature]	
	APPROVED BY [Signature]	
	APPROVED BY [Signature]	




ALTERNATE REAR ELEVATION




REAR OR EAST ELEVATION




ALTERNATE FRONT ELEVATION




FRONT OR WEST ELEVATION




ALTERNATE LEFT SIDE ELEVATION




LEFT SIDE OR NORTH ELEVATION




ALTERNATE RIGHT SIDE ELEVATION



RIGHT SIDE OR SOUTH ELEVATION



ELEV. - SCALE 1/4" = 1'-0" - SECTION - METAL TOILET STALLS -



CORNER STONE DETAILS - SCALE 1/4" = 1'-0" - SECTION -

TN 5-2
J.C. NAPIER
New Deal

WINDOW SCHEDULE		
TYPE	MASONRY OPENING SIZE	REMARKS
C	3'-8 1/2" x 4'-10 1/2"	WOOD CAS. W. WINDOW SEE SHEET A-22
E	3'-8 1/2" x 2'-6"	WOOD CAS. WINDOW SEE SHEET A-22
F	2'-4 1/2" x 1'-2"	WOOD WINDOW NIMED BOTTOM TO SUNK IN. SEE SHEET A-22
G	3'-8 1/2" x 7'-5"	WOOD CAS. WINDOW SEE SHEET A-22
H	3'-8 1/2" x 4'-11 1/2"	WOOD CAS. WINDOW SEE SHEET A-22


SEE SPECIFICATIONS FOR SCHEDULES.

NOTE: ALTERNATE SCHEDULE FOR OTHER WINDOWS (BASED ON QUANTITIES ONLY) IS REPRESENTED BY NO. 3 IS ACCEPTED.


ALTERNATE WINDOW SCHEDULE		
TYPE	MASONRY OPENING SIZE	REMARKS
C	3'-8 1/2" x 4'-10 1/2"	STEEL CAS. SEE SHEET A-22
E	3'-8 1/2" x 2'-6"	STEEL CAS. SEE SHEET A-22
F	2'-4 1/2" x 1'-2"	STEEL WINDOW NIMED BOTTOM TO SUNK IN. SEE SHEET A-22
G	3'-8 1/2" x 7'-5"	STEEL CAS. SEE SHEET A-22
H	3'-8 1/2" x 4'-11 1/2"	NOTE: USE TYPE C WINDOW UNLESS OPENING IS 10'-0" HIGH.

DIPIL SCHEDULE		
TYPE	SIZE	REMARKS
1	2'-0" x 6'-11 1/2" x 1 1/2"	SEE SHEET A-22
2	2'-0" x 6'-8" x 1 1/2"	" " " A-22
3	2'-0" x 6'-8" x 1 1/2"	" " " A-22
4	2'-0" x 6'-8" x 1 1/2"	" " " A-22
5	2'-0" x 6'-8" x 1 1/2"	SIMILAR - SEE SHEET A-22
6	2'-0" x 6'-8" x 1 1/2"	SEE DETAIL SHEET A-22
7	2'-0" x 6'-8" x 1 1/2"	SAME AS TYPE 1 (DUNSON)
8	2'-0" x 6'-8" x 1 1/2"	SAME AS TYPE 3
9	2'-0" x 6'-8" x 1 1/2"	SAME AS TYPE 3
10	2'-0" x 6'-8" x 1 1/2"	METAL FRAME DOOR SEE SPECIFICATIONS
11	2'-0" x 6'-8" x 1 1/2"	METAL DOOR AS SPECIFIED BEING DESIGN IN TYPE 15.
12	2'-0" x 6'-8" x 1 1/2"	(SAME AS ABOVE)
13	2'-0" x 6'-8" x 1 1/2"	SAME AS TYPE 3


NOTE: ALL WINDOWS OVER BASEMENT DOORS TO BE 7'-0" MIN. HIGH BOTTOM AS SHOWN.



FIRST FLOOR PLAN




BASEMENT FLOOR PLAN



ALTERNATE WINDOW G - SCALE 3/8" = 1'-0"

NOTE: SECTION NUMBER REFERS TO SECTION NUMBER ON SHEET A-21.














DETAIL OF DUMPER - SCALE 3/8" = 1'-0"

NOTES:
ALL DETAILS FOR THIS BUILDING ARE THE SAME AS THE TYPICAL DETAILS FOR THE RESIDENCE BUILDINGS UNLESS OTHERWISE SHOWN OR CALLED FOR.
INSIDE WALLS ONLY OF THE FOLLOWING ROOMS OF BASEMENT ARE TO BE PLASTERED: STAIRS, SUPT. OFFICE, AND ALL TOILETS. ALL OTHER WALLS OF BASEMENT TO REMAIN UNFINISHED. PROVIDE CEMENT BASE WHERE WALLS ARE PLASTERED ONLY.

FLOOR PLANS AND ELEVATIONS
ADM. SERVICE BLDG.
J.C. NAPIER HOMES, PROJ. TENN. 5-2
FOR THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE AS NOTED	MARR & HOLMAN ARCHITECTS 704-3 STANHAM BLDG. NASHVILLE, TENN. APPROVED BY <i>[Signature]</i>	DATE 3-2-40
REVISIONS	APPROVED BY <i>[Signature]</i> THE NASHVILLE HOUSING AUTHORITY	SHEET NO. A 24

APPROVED BY _____ UNITED STATES HOUSING AUTHORITY



HOU
TYPICAL LETTERS FULL SIZE
NON-CORROSIVE ANCHORS
BRICK WALL
F.S. FRAME (ALL AROUND)

J.C. NAPIER HOMES HOUSING PROJECT
FRANKLIN D. ROOSEVELT
MATHIAS STRAUSS
THOMAS L. CUMMINGS
THE NASHVILLE HOUSING AUTHORITY

NOTES: TOP FACE OF LETTERS ONLY TO BE DUPED. SEE FRONT ELEC. ADMINISTRATION BUILDING SHEET A-24 FOR LOCATION.

METAL PLAQUE DETAIL
SCALE 1/2" = 1'-0"


DETAILS ADM. SERVICE BLDG. & PROJ. CONSTRUCTION OFFICE
J.C. NAPIER HOMES PROJ. TEN. 5-2
THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

MARR & HOLMAN ARCHITECTS
703 S. STANHAM BLDG. - NASHVILLE, TENN.
APPROVED BY: [Signature]
APPROVED BY: [Signature]

DATE: 12-27-39
SHEET NO: A 25

LEGEND
 S.C. Solid Earth
 Y.C. Yellow Clay
 P.C. Pink Clay
 D.L. Dark Loam
 F. Fill
 S.E. Solid Earth

NOTE:
 DATA SHOWN HEREON HAS BEEN FURNISHED THE ARCHITECTS BY THE LOCAL HOUSING AUTHORITY.
 THIS INDICATES THE BEST INFORMATION AVAILABLE AS TO THE SOIL STRUCTURE AND
 LOCATION OF SOLID EARTH. INFORMATION WAS OBTAINED BY SINKING A SERIES OF 2"
 DIAMETER TEST HOLES TO A DEPTH OF 4' AND RECORDING THE SOIL STRATIFICATION
 TO THAT DEPTH. BORINGS WERE LOCATED IN PROXIMITY TO THE BUILDINGS AS SHOWN.
 HOLES WERE LEFT OPEN FOR A PERIOD OF TIME AND NO WATER NOTED TO RISE IN SAME.
 THE RELIABILITY IS ASSURED FOR CORRELATION OF DATA SHOWN AND ALL CONTRACTORS
 BUILDING ARE REQUESTED TO VISIT THE SITE AND VERIFY THE ACTUAL CONDITIONS EXISTING.
 LEWIS STREET



ATTENTION IS CALLED TO THE FACT THAT UNDER ONE
 OF THE BUILDINGS AND IN THE VICINITY OF THE
 INCLUDING FOUNDATIONS, STAIRS, AND STEPS.


STRUCTURAL SITE PLAN OF BORINGS

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74


STRUCTURAL SITE PLAN OF BORINGS
 J.C. NAPIER HOMES PROJ. TENN. 5-2
 FOR THE NASHVILLE HOUSING AUTHORITY
 NASHVILLE, TENN.

SCALE: 1" = 40'
 MARR & HOLMAN ARCHITECTS
 701-3 STANLEY BLDG. NASHVILLE, TENN.
 APPROVED BY: [Signature]
 APPROVED BY: [Signature]
 APPROVED BY: [Signature]
 UNITED STATES HOUSING AUTHORITY


DATE: 12-27-39
 SHEET NO. 26




ATTIC PLAN
APPLIES ALSO TO ALTERNATE NO. 2



SECOND FLOOR PLAN



FIRST FLOOR PLAN





FOUNDATION PLAN

FRAMING PLANS FOR BUILDING A

SCHEDULE OF SLABS FOR ALL A BUILDINGS

SLAB	DEPTH	STEEL	STEEL	SLAB	DEPTH	STEEL	STEEL
A-100	4"	10#	10#	A-100	4"	10#	10#
A-101	4"	10#	10#	A-101	4"	10#	10#
A-102	4"	10#	10#	A-102	4"	10#	10#
A-103	4"	10#	10#	A-103	4"	10#	10#
A-104	4"	10#	10#	A-104	4"	10#	10#
A-105	4"	10#	10#	A-105	4"	10#	10#
A-106	4"	10#	10#	A-106	4"	10#	10#
A-107	4"	10#	10#	A-107	4"	10#	10#
A-108	4"	10#	10#	A-108	4"	10#	10#
A-109	4"	10#	10#	A-109	4"	10#	10#
A-110	4"	10#	10#	A-110	4"	10#	10#
A-111	4"	10#	10#	A-111	4"	10#	10#
A-112	4"	10#	10#	A-112	4"	10#	10#
A-113	4"	10#	10#	A-113	4"	10#	10#
A-114	4"	10#	10#	A-114	4"	10#	10#
A-115	4"	10#	10#	A-115	4"	10#	10#
A-116	4"	10#	10#	A-116	4"	10#	10#
A-117	4"	10#	10#	A-117	4"	10#	10#
A-118	4"	10#	10#	A-118	4"	10#	10#
A-119	4"	10#	10#	A-119	4"	10#	10#
A-120	4"	10#	10#	A-120	4"	10#	10#
A-121	4"	10#	10#	A-121	4"	10#	10#
A-122	4"	10#	10#	A-122	4"	10#	10#
A-123	4"	10#	10#	A-123	4"	10#	10#
A-124	4"	10#	10#	A-124	4"	10#	10#
A-125	4"	10#	10#	A-125	4"	10#	10#
A-126	4"	10#	10#	A-126	4"	10#	10#
A-127	4"	10#	10#	A-127	4"	10#	10#
A-128	4"	10#	10#	A-128	4"	10#	10#
A-129	4"	10#	10#	A-129	4"	10#	10#
A-130	4"	10#	10#	A-130	4"	10#	10#
A-131	4"	10#	10#	A-131	4"	10#	10#
A-132	4"	10#	10#	A-132	4"	10#	10#
A-133	4"	10#	10#	A-133	4"	10#	10#
A-134	4"	10#	10#	A-134	4"	10#	10#
A-135	4"	10#	10#	A-135	4"	10#	10#
A-136	4"	10#	10#	A-136	4"	10#	10#
A-137	4"	10#	10#	A-137	4"	10#	10#
A-138	4"	10#	10#	A-138	4"	10#	10#
A-139	4"	10#	10#	A-139	4"	10#	10#
A-140	4"	10#	10#	A-140	4"	10#	10#



FRAMING AND FOUNDATION PLANS BUILDING A

J.C. NAPIER HOMES PROJ. TERR. 5-2
THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

MARR & HOLMAN ARCHITECTS
704-3 STAHLMAN BLDG. NASHVILLE, TENN.





APPROVED BY [Signature]
CHIEF ENGINEER - THE NASHVILLE HOUSING AUTHORITY

APPROVED BY [Signature]
UNITED STATES HOUSING AUTHORITY

SCALE: 1/8" = 1'-0"
DATE: 12-27-59
SHEET NO. 5 OF 27

SCHEDULE OF BEAMS FOR ALL A BUILDINGS NOS. 60, 65, 71, 77

SLAB	BUILDING	WIDTH	DEPTH	STEEL	STEEL	SPACING	SLAB	BUILDING	WIDTH	DEPTH	STEEL	STEEL	SPACING
A-100	ALL	9'	10"	11#	11#	20"	A-100	ALL	9'	10"	11#	11#	20"
A-101	ALL	9'	10"	11#	11#	20"	A-101	ALL	9'	10"	11#	11#	20"
A-102	ALL	9'	10"	11#	11#	20"	A-102	ALL	9'	10"	11#	11#	20"
A-103	ALL	9'	10"	11#	11#	20"	A-103	ALL	9'	10"	11#	11#	20"
A-104	ALL	9'	10"	11#	11#	20"	A-104	ALL	9'	10"	11#	11#	20"
A-105	ALL	9'	10"	11#	11#	20"	A-105	ALL	9'	10"	11#	11#	20"
A-106	ALL	9'	10"	11#	11#	20"	A-106	ALL	9'	10"	11#	11#	20"
A-107	ALL	9'	10"	11#	11#	20"	A-107	ALL	9'	10"	11#	11#	20"
A-108	ALL	9'	10"	11#	11#	20"	A-108	ALL	9'	10"	11#	11#	20"
A-109	ALL	9'	10"	11#	11#	20"	A-109	ALL	9'	10"	11#	11#	20"
A-110	ALL	9'	10"	11#	11#	20"	A-110	ALL	9'	10"	11#	11#	20"
A-111	ALL	9'	10"	11#	11#	20"	A-111	ALL	9'	10"	11#	11#	20"
A-112	ALL	9'	10"	11#	11#	20"	A-112	ALL	9'	10"	11#	11#	20"
A-113	ALL	9'	10"	11#	11#	20"	A-113	ALL	9'	10"	11#	11#	20"
A-114	ALL	9'	10"	11#	11#	20"	A-114	ALL	9'	10"	11#	11#	20"
A-115	ALL	9'	10"	11#	11#	20"	A-115	ALL	9'	10"	11#	11#	20"
A-116	ALL	9'	10"	11#	11#	20"	A-116	ALL	9'	10"	11#	11#	20"
A-117	ALL	9'	10"	11#	11#	20"	A-117	ALL	9'	10"	11#	11#	20"
A-118	ALL	9'	10"	11#	11#	20"	A-118	ALL	9'	10"	11#	11#	20"
A-119	ALL	9'	10"	11#	11#	20"	A-119	ALL	9'	10"	11#	11#	20"
A-120	ALL	9'	10"	11#	11#	20"	A-120	ALL	9'	10"	11#	11#	20"
A-121	ALL	9'	10"	11#	11#	20"	A-121	ALL	9'	10"	11#	11#	20"
A-122	ALL	9'	10"	11#	11#	20"	A-122	ALL	9'	10"	11#	11#	20"
A-123	ALL	9'	10"	11#	11#	20"	A-123	ALL	9'	10"	11#	11#	20"
A-124	ALL	9'	10"	11#	11#	20"	A-124	ALL	9'	10"	11#	11#	20"
A-125	ALL	9'	10"	11#	11#	20"	A-125	ALL	9'	10"	11#	11#	20"
A-126	ALL	9'	10"	11#	11#	20"	A-126	ALL	9'	10"	11#	11#	20"
A-127	ALL	9'	10"	11#	11#	20"	A-127	ALL	9'	10"	11#	11#	20"
A-128	ALL	9'	10"	11#	11#	20"	A-128	ALL	9'	10"	11#	11#	20"
A-129	ALL	9'	10"	11#	11#	20"	A-129	ALL	9'	10"	11#	11#	20"
A-130	ALL	9'	10"	11#	11#	20"	A-130	ALL	9'	10"	11#	11#	20"
A-131	ALL	9'	10"	11#	11#	20"	A-131	ALL	9'	10"	11#	11#	20"
A-132	ALL	9'	10"	11#	11#	20"	A-132	ALL	9'	10"	11#	11#	20"
A-133	ALL	9'	10"	11#	11#	20"	A-133	ALL	9'	10"	11#	11#	20"
A-134	ALL	9'	10"	11#	11#	20"	A-134	ALL	9'	10"	11#	11#	20"
A-135	ALL	9'	10"	11#	11#	20"	A-135	ALL	9'	10"	11#	11#	20"
A-136	ALL	9'	10"	11#	11#	20"	A-136	ALL	9'	10"	11#	11#	20"
A-137	ALL	9'	10"	11#	11#	20"	A-137	ALL	9'	10"	11#	11#	20"
A-138	ALL	9'	10"	11#	11#	20"	A-138	ALL	9'	10"	11#	11#	20"
A-139	ALL	9'	10"	11#	11#	20"	A-139	ALL	9'	10"	11#	11#	20"
A-140	ALL	9'	10"	11#	11#	20"	A-140	ALL	9'	10"	11#	11#	20"







FRAMING PLANS FOR BUILDING C


ABOVE PLANS APPLY TO BLDG. WITH EACH FLOOR AND ATTIC LEVEL FOR ITS FULL LENGTH - SEE DIAGRAM ON THIS SHEET AND DETAILS ELSEWHERE. THE CHANGES INTRODUCED BY BEAMS IN FLOOR LEVELS.

SLAB	DEPTH	ST. STEEL	ST. STEEL	SLAB	DEPTH	ST. STEEL	ST. STEEL
C-100	4" 5/8"	3" 11/16"	3" 11/16"	C-200	4" 5/8"	3" 11/16"	3" 11/16"
C-101	4" 5/8"	3" 11/16"	3" 11/16"	C-201	4" 5/8"	3" 11/16"	3" 11/16"
C-102	4" 5/8"	3" 11/16"	3" 11/16"	C-202	4" 5/8"	3" 11/16"	3" 11/16"
C-103	4" 5/8"	3" 11/16"	3" 11/16"	C-203	4" 5/8"	3" 11/16"	3" 11/16"
C-104	4" 5/8"	3" 11/16"	3" 11/16"	C-204	4" 5/8"	3" 11/16"	3" 11/16"
C-105	4" 5/8"	3" 11/16"	3" 11/16"	C-205	4" 5/8"	3" 11/16"	3" 11/16"
C-106	4" 5/8"	3" 11/16"	3" 11/16"	C-206	4" 5/8"	3" 11/16"	3" 11/16"
C-107	4" 5/8"	3" 11/16"	3" 11/16"	C-207	4" 5/8"	3" 11/16"	3" 11/16"
C-108	4" 5/8"	3" 11/16"	3" 11/16"	C-208	4" 5/8"	3" 11/16"	3" 11/16"
C-109	4" 5/8"	3" 11/16"	3" 11/16"	C-209	4" 5/8"	3" 11/16"	3" 11/16"
C-110	4" 5/8"	3" 11/16"	3" 11/16"	C-210	4" 5/8"	3" 11/16"	3" 11/16"
C-111	4" 5/8"	3" 11/16"	3" 11/16"	C-211	4" 5/8"	3" 11/16"	3" 11/16"
C-112	4" 5/8"	3" 11/16"	3" 11/16"	C-212	4" 5/8"	3" 11/16"	3" 11/16"
C-113	4" 5/8"	3" 11/16"	3" 11/16"	C-213	4" 5/8"	3" 11/16"	3" 11/16"
C-114	4" 5/8"	3" 11/16"	3" 11/16"	C-214	4" 5/8"	3" 11/16"	3" 11/16"
C-115	4" 5/8"	3" 11/16"	3" 11/16"	C-215	4" 5/8"	3" 11/16"	3" 11/16"
C-116	4" 5/8"	3" 11/16"	3" 11/16"	C-216	4" 5/8"	3" 11/16"	3" 11/16"
C-117	4" 5/8"	3" 11/16"	3" 11/16"	C-217	4" 5/8"	3" 11/16"	3" 11/16"
C-118	4" 5/8"	3" 11/16"	3" 11/16"	C-218	4" 5/8"	3" 11/16"	3" 11/16"
C-119	4" 5/8"	3" 11/16"	3" 11/16"	C-219	4" 5/8"	3" 11/16"	3" 11/16"
C-120	4" 5/8"	3" 11/16"	3" 11/16"	C-220	4" 5/8"	3" 11/16"	3" 11/16"

SCHEDULE OF BEAMS FOR ALL C BUILDINGS NO. 28, 29


BEAM	BUILDING	WIDTH	DEPTH	ST. STEEL	ST. STEEL	STEEPS	SPACING	BEAM	BUILDING	WIDTH	DEPTH	ST. STEEL	ST. STEEL	STEEPS	SPACING
C-100	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-120	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-101	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-121	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-102	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-122	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-103	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-123	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-104	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-124	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-105	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-125	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-106	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-126	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-107	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-127	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-108	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-128	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-109	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-129	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-110	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-130	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-111	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-131	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-112	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-132	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-113	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-133	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-114	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-134	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-115	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-135	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-116	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-136	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-117	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-137	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-118	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-138	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-119	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-139	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"
C-120	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"	C-140	Bldg	71	14	1-5/8"	1-5/8"	10-2-0"	24-0-0"






ATTIC PLAN
APPLIES ALSO TO ALT. NO. 2

ATTIC PLAN
APPLIES ALSO TO ALT. NO. 2




SECOND FLOOR PLAN

SECOND FLOOR PLAN



FIRST FLOOR PLAN

FIRST FLOOR PLAN




FOUNDATION PLAN

FOUNDATION PLAN


FRAMING PLANS FOR BUILDING D

SCHEDULE OF SLABS FOR ALL D BUILDINGS							
SLAB	DEPTH	ST. STEEL	DE. STEEL	SLAB	DEPTH	ST. STEEL	DE. STEEL
D-5-100	4" SCL.	1/2"	1/2"	D-5-200	4" SCL.	1/2"	1/2"
D-5-101	4" SCL.	1/2"	1/2"	D-5-201	4" SCL.	1/2"	1/2"
D-5-102	4" SCL.	1/2"	1/2"	D-5-202	4" SCL.	1/2"	1/2"




FRAMING PLANS FOR BUILDING E

SCHEDULE OF SLABS FOR ALL E BUILDINGS							
SLAB	DEPTH	ST. STEEL	DE. STEEL	SLAB	DEPTH	ST. STEEL	DE. STEEL
E-5-100	4" SCL.	1/2"	1/2"	E-5-200	4" SCL.	1/2"	1/2"
E-5-101	4" SCL.	1/2"	1/2"	E-5-201	4" SCL.	1/2"	1/2"
E-5-102	4" SCL.	1/2"	1/2"	E-5-202	4" SCL.	1/2"	1/2"





SCHED. OF BEAMS FOR ALL 'D' BLDGS. 140'S, 54, 51, 66, 61, 71, 72, 74, 80.									
BEAM	BUILDING	WIDTH	DEPTH	ST. STEEL	DE. STEEL	STRENGTH	SPACING		
D-5-100	ALL	7 1/2	12	1-3/8"	1-3/8"	10-25	5-8"	5-8"	10-25
D-5-101	ALL	7 1/2	12	1-3/8"	1-3/8"	10-25	5-8"	5-8"	10-25
D-5-102	ALL	7 1/2	12	1-3/8"	1-3/8"	10-25	5-8"	5-8"	10-25



FRAMING AND FOUNDATION PLANS
BUILDINGS D AND E.
J.C. NAPIER HOMES PROJ. TENN. 5-2
FOR THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE: 1/8" = 1'-0"
DATE: 12-27-39
DESIGNED BY: MARR & HOLMAN - ARCHITECTS
704-3 STANHAM BLDG. NASHVILLE, TENN.
APPROVED BY: [Signature]
CHIEF ENGINEER, THE NASHVILLE HOUSING AUTHORITY
APPROVED BY: [Signature]
UNITED STATES HOUSING AUTHORITY

BEST NO. S 30.



SCHEDULE OF SLABS FOR F BUILDING


SLAB	DEPTH	REINFTL	REINFTL	SLAB	DEPTH	REINFTL	REINFTL
F-2100	4" 0/0	18" 0/0	18" 0/0	F-2100	4" 0/0	18" 0/0	18" 0/0
F-2101	4" 0/0	18" 0/0	18" 0/0	F-2101	4" 0/0	18" 0/0	18" 0/0
F-2102	5" 0/0	18" 0/0	18" 0/0	F-2102	5" 0/0	18" 0/0	18" 0/0
F-2103	4" 0/0	18" 0/0	18" 0/0	F-2103	4" 0/0	18" 0/0	18" 0/0
F-2104	4" 0/0	18" 0/0	18" 0/0	F-2104	4" 0/0	18" 0/0	18" 0/0
F-2105	4" 0/0	18" 0/0	18" 0/0	F-2105	4" 0/0	18" 0/0	18" 0/0
F-2106	4" 0/0	18" 0/0	18" 0/0	F-2106	4" 0/0	18" 0/0	18" 0/0
F-2107	4" 0/0	18" 0/0	18" 0/0	F-2107	4" 0/0	18" 0/0	18" 0/0
F-2108	4" 0/0	18" 0/0	18" 0/0	F-2108	4" 0/0	18" 0/0	18" 0/0
F-2109	4" 0/0	18" 0/0	18" 0/0	F-2109	4" 0/0	18" 0/0	18" 0/0
F-2110	4" 0/0	18" 0/0	18" 0/0	F-2110	4" 0/0	18" 0/0	18" 0/0

SCHEDULE OF BEAMS FOR ALL E BUILDINGS NO'S. 54, 74, 75, 85										SCHED. OF BEAMS FOR F BUILDING NO. 72									
BEAM	BUILDING	MATERIAL	DEPTH	REINFTL	REINFTL	REINFTL	REINFTL	REINFTL	REINFTL	BEAM	BUILDING	MATERIAL	DEPTH	REINFTL	REINFTL	REINFTL	REINFTL	REINFTL	REINFTL
E-100	ALL	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-100	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-101	ALL	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-101	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-102	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-102	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-103	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-103	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-104	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-104	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-105	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-105	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-106	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-106	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-107	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-107	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-108	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-108	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-109	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-109	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-110	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-110	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-111	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-111	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-112	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-112	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-113	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-113	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-114	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-114	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-115	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-115	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-116	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-116	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-117	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-117	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-118	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-118	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-119	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-119	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10
E-120	OTHERS	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	F-120	72	12	1-3/8	1-3/8	10-20	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10	5.0.20.20.10


FRAMING AND FOUNDATION PLANS
BUILDING F
 J.C. NAPIER HOMES PROJ. TENN. 5-2
 FOR THE NASHVILLE HOUSING AUTHORITY
 NASHVILLE, TENN.

SCALE: 3/8"=1'-0"
 APPROVED BY: *J. Napier*
 APPROVED BY: *J. Napier*
 APPROVED BY: *J. Napier*


DATE: 12-27-59
 SHEET NO. 5
 31.




ATTIC PLAN
APPLIES ALSO TO ALTERNATE NO. 2



SECOND FLOOR PLAN



FIRST FLOOR PLAN



FOUNDATION PLAN

FRAMING PLANS FOR BUILDING G





DIAGRAM OF G BLDGS.


SCHEDULE OF SLABS FOR ALL G BUILDINGS			
BLDG.	DEPTH	SECTIAL	RESEAL
G-100	4" S.W.	19" S.W.	19" S.W.
G-101	4" S.W.	19" S.W.	19" S.W.
G-102	4" S.W.	19" S.W.	19" S.W.
G-103	4" S.W.	19" S.W.	19" S.W.

SCHEDULE OF BEAMS FOR ALL G BUILDINGS NO'S 51,52,53,54,62,64,82,84											
BLDG.	DEPTH	SECTIAL	RESEAL	STOOPS	SPACING	BLDG.	DEPTH	SECTIAL	RESEAL	STOOPS	SPACING
G-100	ALL	4"	19"	19"	17'-6"	G-151	ALL	7"	13"	1-3"	1-3"
G-101	ALL	4"	19"	19"	17'-6"	G-152	ALL	7"	13"	1-3"	1-3"
G-102	OTHERS	4"	19"	19"	17'-6"	G-153	ALL	7"	13"	1-3"	1-3"



DETAILS OF CONCR. LUGS ON GRADE BEAM FOR SUPPORT OF HOUSING FOR ELEC. DIST. CAB.


SCHEDULE OF RISERS TO STOOPS AT FRONT AND REAR OF BUILDINGS.														
BLDG.	FRONT	REAR	FRONT	REAR	FRONT	REAR	FRONT	REAR	FRONT	REAR	FRONT	REAR	FRONT	REAR
A-60	1	2	3	4	5	6	7							
A-65	1	1	1	1	1	1	1							
A-71	1	1	1	1	1	1	1							




FRAMING AND FOUNDATION PLANS AND DETAILS. BUILDING G.
J. C. NAPIER HOMES PROJ. TENN. 5-2 FOR THE NASHVILLE HOUSING AUTHORITY, NASHVILLE, TENN.

SCALE: 1/8" = 1'-0"
MARR & HOLMAN ARCHITECTS
703-3 STANMAN BLDG., NASHVILLE, TENN.
APPROVED BY: [Signature]
APPROVED BY: [Signature]


DATE: 12-27-49
SHEET NO. 532




TYPICAL UNIT PLANS FOR 4B/4C



TYPICAL UNIT PLANS FOR 4K RIGHT



TYPICAL UNIT PLANS FOR 4K LEFT



AXIS UNIT PLAN WHERE BREAK OCCURS AT END

UNIT FRAMING PLANS
J.C. NAPIER HOMES PROJ. TERM. 5-2
 FOR THE NASHVILLE HOUSING AUTHORITY
 NASHVILLE, TENN.













SCALE: 1/4" = 1'-0"

MARR & HOLMAN - ARCHITECTS
 203-3 STANLEY BLDG. NASHVILLE, TENN.
 APPROVED BY: [Signature]

APPROVED BY: [Signature]
 CHAIRMAN - THE NASHVILLE HOUSING AUTHORITY

APPROVED BY: [Signature]
 UNITED STATES HOUSING AUTHORITY

DATE: 12-27-59
 SHEET NO.: S 34





SCHEDULE OF BLDG BREAKS

BUILDING TYPE	VEST. BREAKS NO.	VEST. BREAKS SIZE	VEST. BREAKS NO.	VEST. BREAKS SIZE
A	4	2'-0"	1	2'-11 1/2"
B	2	2'-0"	5	2'-11 1/2"
C	1	2'-0"	-	-
D	2	2'-0"	2	2'-11 1/2"
E	5	2'-0"	2	2'-11 1/2"
F	1	2'-0"	-	-
G	3	2'-0"	2	2'-11 1/2"
TOTAL	16	2'-0"	12	2'-11 1/2"

TYPICAL AND MISCELLANEOUS DETAILS.
J.C. NAPIER HOMES PROJ. TENN. 5-2
 FOR THE NASHVILLE HOUSING AUTHORITY
 NASHVILLE, TENN.

SCALE: AS SHOWN
 ARCHITECTS: MARR & HOLMAN - ARCHITECTS
 701-3 STANLUM BLDG. NASHVILLE, TENN.
 APPROVED BY: [Signature]
 CHAIRMAN - THE NASHVILLE HOUSING AUTHORITY
 APPROVED BY: [Signature]
 UNITED STATES HOUSING AUTHORITY

DATE: 12-27-57
 SHEET NO. 35



SCHEDULE OF ROOF BEAMS FOR ALTERNATE NO. 2 COVERING ALL RESIDENCE BUILDINGS A, B, C, D, E, F, G

A BUILDINGS NOS. 60, 61, 71, 72										B BUILDINGS NOS. 52, 54, 61, 63, 70, 76, 81, 83										C BUILDINGS NOS. 68, 69										D BUILDINGS NOS. 56, 57, 66, 67, 73, 74, 80										E BUILDINGS NOS. 53, 74, 75, 85										F BUILDING NO. 72										G BUILDINGS NOS. 51, 53, 55, 59, 62, 64, 82, 84									
BEAM	DEPTH	WIDTH	DEPTH	SECT.	SECT.	SPACING	BEAM	DEPTH	WIDTH	DEPTH	SECT.	SECT.	SPACING	BEAM	DEPTH	WIDTH	DEPTH	SECT.	SECT.	SPACING	BEAM	DEPTH	WIDTH	DEPTH	SECT.	SECT.	SPACING	BEAM	DEPTH	WIDTH	DEPTH	SECT.	SECT.	SPACING	BEAM	DEPTH	WIDTH	DEPTH	SECT.	SECT.	SPACING	BEAM	DEPTH	WIDTH	DEPTH	SECT.	SECT.	SPACING																					
A-300	12	12	12	12	12	12	B-300	12	12	12	12	12	12	C-300	12	12	12	12	12	12	D-300	12	12	12	12	12	12	E-300	12	12	12	12	12	12	F-300	12	12	12	12	12	12	G-300	12	12	12	12	12	12																					

NOTE: SEE DETAILS ABOVE ON THIS SHEET. SECTIONAL ELEVATIONS THROUGH BUILDING BEAMS WITH ADDITIONAL BEAMS AND REINFORCEMENT. IN SOME CASES SECTIONAL ELEVATIONS MAY VARY IN THE SCHEDULED BEAM NUMBER.

NOTE:
ALTERNATE NO. 2 PROVIDES FOR FINISH OF ROOF AND SUPPORTING WOOD FRAMING IN WHICH CASE THE CONCRETE ROOF SLAB IS TO BE SLOPED AT ONE HALF INCH PER FOOT TO BECOME A COMPOSITION BUILT UP ROOF. SEE ARCHIT. DETAILS AND SPECIFICATIONS FOR A ROOF. COMPLETE DESCRIPTIONS ARE SHOWN ON THIS SHEET AND SCHEDULES OF BEAMS AND SLABS APPLY TO ALTERNATE NO. 2 REFERRED TO ABOVE. THE ATTIC FRAMING PLANS FOR BUILDINGS A, B, C, D, E, F, G SHOWS ELEVATIONS FOR TYPE OF CONSTRUCTION CONTINGENT UNDER DATE BID APPLY TO ALL BEAMS AS TO COLUMN SPACING AND BEAM LOCATIONS THEREFORE BEAMS AS SCHEDULED ABOVE AND BEAMS ARE NEEDED TO CORRELATE WITH ATTIC FRAMING PLANS. SEE BASE BID DIAGRAMS ON FRAMING PLANS FOR DATE BID SHOWING LOCATION AND SIZE OF BEAMS IN BUILDINGS APPLICABLE IN A WALL. FRAMING TO CHANGES UNDER ALL NO. 2. COLUMN BEAMS AND BEAMS BETWEEN THE SAME MUST BE WITH THE SAME BID AND NOT. ALL DETAILS OF CONSTRUCTION FOR PORTION OF BUILDING BELOW ROOF SLAB ARE THE SAME FOR THIS BID AND ALTERNATE. DETAILS SHOWN ABOVE APPLY ALSO TO ROOF FRAMING FOR ADMINISTRATION BUILDING UNDER ALTERNATE NO. 2.

SCHEDULE OF ROOF SLABS FOR ALTERNATE NO. 2 COVERING ALL RESIDENCE BUILDINGS A, B, C, D, E, F, G

ALL A BUILDINGS			ALL B BUILDINGS			ALL C BUILDINGS			ALL D BUILDINGS			ALL E BUILDINGS			F BUILDING			ALL G BUILDINGS		
SLAB	DEPTH	SECT.	SLAB	DEPTH	SECT.	SLAB	DEPTH	SECT.	SLAB	DEPTH	SECT.	SLAB	DEPTH	SECT.	SLAB	DEPTH	SECT.	SLAB	DEPTH	SECT.
A-300	12	12	B-300	12	12	C-300	12	12	D-300	12	12	E-300	12	12	F-300	12	12	G-300	12	12

ROOF DETAILS AND SCHEDULE OF ALTERNATE NO. 2 BUILDINGS A, B, C, D, E, F, G.

J.C. NAPIER-HOMES - Proj. Tenn. 5-2

THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE: 1/4" = 1'-0"

MARR & HOLMAN - ARCHITECTS
701-1/2 STAMMAN BLDG. NASHVILLE, TENN.

APPROVED BY: *[Signature]*





APPROVED BY: *[Signature]*

APPROVED BY: *[Signature]*

DATE: 12-27-39

SHEET NO. 5




36



SCHEDULE OF SLABS FOR ADMINISTRATION BLDG.

SLAB	DEPTH	ST. STEEL	BT. STEEL	SLAB	DEPTH	ST. STEEL	BT. STEEL
2-5-100	4" SL.	3" C.C.	---	2-5-200	4" SL.	3" C.C.	---
2-5-101	4" SL.	3" C.C.	---	2-5-201	4" SL.	3" C.C.	---
2-5-102	4" SL.	3" C.C.	---	2-5-202	4" SL.	3" C.C.	---
2-5-103	4" SL.	3" C.C.	---	2-5-203	4" SL.	3" C.C.	---
2-5-104	4" SL.	3" C.C.	---	2-5-204	4" SL.	3" C.C.	---
2-5-105	4" SL.	3" C.C.	---	2-5-205	4" SL.	3" C.C.	---

ALL ROOF SLABS FOR ALTERNATE NO. 2 ARE SAME AS SHOWN ABOVE FOR DEPTH, SIZES AND SPACING OF REINFORCEMENT. SEE DETAILS ELSEWHERE FOR STRUCT. DETAIL FOR SPANDREL BEAMS, OVERHANG OF SLAB AT EAVES ETC. FOR ALT. NO. 2.










SCHEDULE OF BEAMS FOR ADMINISTRATION BUILDING

BEAM	WIDTH	DEPTH	ST. STEEL	BT. STEEL	STAIRS	SPACING	BEAM	WIDTH	DEPTH	ST. STEEL	BT. STEEL	STAIRS	SPACING
2-5-100	12	1-10	1-10	1-10	---	---	2-5-101	12	1-10	1-10	1-10	---	---
2-5-101	15	1-10	1-10	1-10	---	---	2-5-102	15	1-10	1-10	1-10	---	---
2-5-102	12	1-10	1-10	1-10	---	---	2-5-103	12	1-10	1-10	1-10	---	---
2-5-103	15	1-10	1-10	1-10	---	---	2-5-104	15	1-10	1-10	1-10	---	---
2-5-104	12	1-10	1-10	1-10	---	---	2-5-105	12	1-10	1-10	1-10	---	---
2-5-105	15	1-10	1-10	1-10	---	---	2-5-106	15	1-10	1-10	1-10	---	---

SCHEDULE OF COLUMN AND FOOTING SIZES AND REINFORCEMENT FOR ADMINISTRATION BUILDING

COLUMN NUMBER	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
ATTIC (OR ROOF)	A	42	42	42	42	10	42	42	42	112	42	42	42	42	42	42	42	42	42	112	42	42	42	42	42	42	42
FIRST FLOOR	A	42	42	42	42	10	42	42	42	112	42	42	42	42	42	42	42	42	42	112	42	42	42	42	42	42	42
FOOTING	A	42	42	42	42	10	42	42	42	112	42	42	42	42	42	42	42	42	42	112	42	42	42	42	42	42	42

ADMINISTRATION BLDG. IS OF SAME GENERAL TYPE CONSTRUCTION AS DWELLING BUILDINGS UNLESS AS CONCRETE FRAMING, EXTERIOR WALLS, AND INTERIOR PARTITIONS ARE CONCERNED. THE DETAILS OF CONSTRUCTION NOT SHOWN ON THIS SHEET SEE DETAILS SHOWN ELSEWHERE ON STRUCTURAL DRAWINGS FOR DWELLING BUILDINGS. FIRST FLOOR BARRIERS TO FIRST FLOOR (1st) FIRST FLOOR TO UNDESIRABLE OR SLAB FORMING CEILING 7'-0" FOR ADMINISTRATION WING AND 10'-0" FOR SOCIAL ACTIVITIES WING UNDER THE BARR. DO WITH THIS ROOM. FOR ALTERNATE NO. 2 STORY HEIGHT AT HORIZONTAL LINES IS SAME AS FOR BARR. DO. ROOF SLAB BEING PITCHED 3" IN ONE HALF WIDTH OR BARR. DO. TO BEEN RISES AS SHOWN ON ROOF FRAMING PLAN ALTERNATE NO. 2 ABOVE.



ADM. SERVICE BUILDING FRAMING & FOUNDATION PLANS & DETAILS

J.C. NAPIER-HOMES PROJ. TENN. 52

THE NASHVILLE HOUSING AUTHORITY

SCALE: AS NOTED

MARR & HOLMAN ARCHITECTS

701-3 STARKMAN BLDG. NASHVILLE, TENN.

DATE: 12-27-39

APPROVED BY: [Signature]

APPROVED BY: [Signature]

APPROVED BY: [Signature]

UNITED STATES HOUSING AUTHORITY




SHEET NO. 37

LEGEND:

- PRIMARY 2500-30-3 WIRE
- SECONDARY 115-230-11P 3 WIRE
- PROJECT LIGHTING 115-230-11P-2 OR 3 WIRE
- PAVEMENT CABLE UNDERGROUND TO PLAY AREA
- TRANSFORMER INDICATING N:1 TO 6
- DOWN GUY & ANCHOR
- TIME SWITCH ON POLE'S 6-7/8
- POLE BRACKET LIGHT
- GROUND WIRE
- PRIMARY LINE POLE, CLASS 2, 6-8/8 WIRE
- SECONDARY AND YARD LIGHTING POLE CLASS 2
- YARD LIGHT STANDARD
- ANCHOR POINT ON BUILDING
- EXISTING STREET LIGHTS

NOTE:

ALL PRIMARY CONDUCTORS TO BE MADE AND COPPER
 SECONDARY CONDUCTORS TO BE MADE AND COPPER
 ALL OVERHEAD PROJECT LIGHTING TO BE 115-230-11P-2 OR 3 WIRE
 SERVICE CABLES SHALL BE UNDERGROUND TO PLAY AREA
 SERVICE CABLE TO ADMINISTRATION BLDG. #4 SHALL
 BE UNDERGROUND PROJECT LIGHTING 2-7/8 PAVEMENT




BUILDINGS	DWELLING UNIT PANELS		DISTRIBUTION CENTERS				SERVICE				
	TYPE	TOTAL	NO. PANELS	NO. PANELS	NO. PANELS	NO. PANELS	NO. PANELS	NO. PANELS	NO. PANELS	NO. PANELS	NO. PANELS
A	4	12	24	4	12	12	12	12	12	12	12
B	8	10	20	8	10	10	20	20	20	20	20
C	2	12	24	2	12	12	6	60	20	2	3-2
D	8	6	12	8	6	6	12	60	20	12	3-2
E	4	10	20	4	10	10	10	60	20	12	3-2
F	1	12	24	1	12	12	3	60	20	12	3-2
G	8	10	20	8	10	10	20	60	20	12	3-2

ELECTRICAL SITE PLAN
J.C. NAPIER HOMES PROJ. TENN. 5-2
 FOR THE NASHVILLE HOUSING AUTHORITY
 NASHVILLE, TENN.

SCALE: 1" = 40'
 MARR & HOLMAN - ARCHITECTS
 703-3 STANLEY BLDG. NASHVILLE, TENN.
 APPROVED BY: *[Signature]*
 APPROVED BY: *[Signature]*
 APPROVED BY: *[Signature]*
 U.S. STATES INC. ENGINEERS







DATE: 12-27-59
 SHEET NO. **E 38.**



ELECTRICAL SITE PLAN
 SCALE 1 INCH = 40 FEET






ALL EXISTING TELEPHONE & ELECTRIC UTILITIES WITHIN THE PROJECT AREA ARE TO BE REMOVED BY THE RESPECTIVE UTILITY COMPANIES AT NO EXPENSE TO THE CONTRACTOR.

SCHEDULE OF DISTRIBUTION & METERING PANELS




DETAILS SHOWING SERVICE EQUIPMENT AND METER CABINET

NOTE: ALL POLE TIPS TO BE COVERED WITH COPPER AS SPECIFIED.




DETAILS OF SECONDARY RACK CONSTRUCTION NO. SCALE


MISCELLANEOUS ELECTRICAL DETAILS		
J.C. NADIER HOMES PROJ. TENN. S-2		
THE NASHVILLE HOUSING AUTHORITY NASHVILLE, TENN.		
SCALE AS NOTED	MARR & HOLMAN - ARCHITECTS 701-3 STAHLMAN BLDG. NASHVILLE, TENN.	DATE: 12-27-37
REVISIONS	APPROVED BY: <i>[Signature]</i>	SHEET NO. E 39
	APPROVED BY: <i>[Signature]</i>	
	APPROVED BY: <i>[Signature]</i>	




SECOND FLOOR PLAN
SCALE 1/8" = 1'-0"



FIRST FLOOR PLAN
SCALE 1/8" = 1'-0"




BASEMENT PLAN
SCALE 1/8" = 1'-0"




RISER DIAGRAM
DIAGNOSTIC - NOT TO SCALE

ELECTRICAL PLANS FOR BUILDINGS B


NOTE:
BASE PLANS AND RISER DIAGRAM APPLY TO BUILDING WITHOUT
BREAKS. SEE DIAGRAM OF B BLDG ON THIS SHEET SHOWING
LOCATION AND SIZE OF BREAKS FOR EACH BLDG. SEE ALSO
TYPICAL DETAIL OF BREAKS SHOWING LOCATION OF JUNCTION
BOXES NECESSITATED BY BREAKS. SCHEDULE RECALL
BUILDING BREAKS IS SHOWN ELSEWHERE ON THIS DRAWING.



DETAIL OF TELEPHONE CONDUIT FOR
BUILDINGS B, B & S END UNITS
SCALE 3/4" = 1'-0"



DETAIL OF TELEPHONE
CONDUIT
SCALE 3/4" = 1'-0"



SECTION SHOWING HEIGHT OF OUTLET BOXES
NO SCALE

CIRCUIT	DOWNER		UPPER		4th RM		5th RM	
	1	2	1	2	1	2	1	2
LIVING RM CLG. OUTLET	-	100	-	100	-	100	-	100
BASE RECPY	-	200	-	200	-	200	-	200
KITCHEN CLG. OUTLET	-	100	-	100	-	100	-	100
BASE RECPY	-	250	-	250	-	250	-	250
BATH CLG. OUTLET	-	40	-	40	-	40	-	40
HALL CLG. OUTLET	-	-	-	25	-	25	-	25
MED RM#1 BRACKET LIGHT	-	60	-	60	-	60	-	60
BRACKET RECPY	-	100	-	100	-	100	-	100
BASE RECPY	-	200	-	200	-	200	-	200
BED RM#2 BRACKET LIGHT	-	-	-	-	-	60	-	60
BRACKET RECPY	-	-	-	-	-	100	-	100
BASE RECPY	-	-	-	-	-	200	-	200
BED RM#3 BRACKET LIGHT	-	-	-	-	-	-	-	60
BRACKET RECPY	-	-	-	-	-	-	-	100
BASE RECPY	-	-	-	-	-	-	-	200
TOTAL OUTLETS	3	7	3	8	4	10	6	11
TOTAL WATTS	700	800	700	825	800	1085	960	1285





DIAGRAM OF B BLDG



ELECTRICAL PLANS AND RISER DIAGRAM
BUILDING B

J.C. NAPIER HOMES PROJ. TENN. 5-2

THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE: 1/8" = 1'-0"

MARR & HOLMAN ARCHITECTS
701-3 STANLEY BLDG. NASHVILLE, TENN.


APPROVED BY: [Signature]

APPROVED BY: [Signature]


APPROVED BY: [Signature]

DATE: 7-27-37


SHEET NO. E 41




SECOND FLOOR PLAN
SCALE 5/16"



FIRST FLOOR PLAN
SCALE 5/16"



BASEMENT FLOOR PLAN
SCALE 5/16"



RISER DIAGRAM (BAY C-6)
SYMBOLIC - NOT TO SCALE

ELECTRICAL PLANS FOR BUILDINGS C

NOTE:
ABOVE PLANS AND RISER DIAGRAM APPLY TO BUILDING WITHOUT
BREAKS. SEE DIAGRAM OF C BUILDING ON THIS SHEET.
SHOWING LOCATION AND SIZE OF BREAK FOR EACH BLDG.
SECTION TYPICAL DETAIL ON BREAKS SHOWING LOCATION
OF BRACKET. BREAKS NECESSITATED BY BREAKS. SCHEDULE
OF ALL BUILDING BREAKS IS SHOWN ELSEWHERE ON
ELECTRICAL DRAWINGS.






DIAGRAM OF C BLOCK




KEY PLAN

ELECTRICAL PLANS AND RISER DIAGRAM -
BUILDING C.
FOR
J.C. NAPIER HOMES PROJ. TENN. 5-2.
FOR
THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.


SCALE 1/8" = 1'-0"	MARR & HOLMAN - ARCHITECTS 704-3 STAHLMAN BLDG. NASHVILLE, TENN. APPROVED BY <i>[Signature]</i>	DATE 12-27-37
REVISIONS	APPROVED BY <i>[Signature]</i> CHIEF ENGINEER - THE NASHVILLE HOUSING AUTHORITY	SHEET NO E 42.
	APPROVED BY <i>[Signature]</i> UNITED STATES HOUSING AUTHORITY	




SECOND FLOOR PLAN
SCALE 5/8" = 1'-0"




SECOND FLOOR PLAN
SCALE 5/8" = 1'-0"




FIRST FLOOR PLAN
SCALE 5/8" = 1'-0"




FIRST FLOOR PLAN
SCALE 5/8" = 1'-0"




BASEMENT PLAN
SCALE 5/8" = 1'-0"




SECTION
DIAGRAM OF D BLDG.




BASEMENT PLAN
SCALE 5/8" = 1'-0"




SECTION
DIAGRAM OF E BLDG.



RISER DIAGRAM
DIAGRAPHIC - NOT TO SCALE



RISER DIAGRAM
DIAGRAPHIC - NOT TO SCALE



KEY PLAN


ELECTRICAL PLANS FOR BUILDINGS D

ELECTRICAL PLANS FOR BUILDINGS E


NOTE:
ABOVE PLANS AND RISER DIAGRAMS APPLY TO BUILDINGS WITHOUT BEAMS. SEE DIAGRAMS OF D AND E BUILDINGS ON THIS SHEET SHOWING LOCATION AND SIZE OF BEAMS FOR EACH BUILDING. SEE ALSO TYPICAL DETAIL OF BEAMS SHOWING LOCATION OF JUNCTION BOXES NECESSITATED BY BEAMS. SCHEDULE OF ALL BUILDING BEAMS IS SHOWN ELSEWHERE ON ELECTRICAL DRAWINGS.

ELECTRICAL PLANS AND RISER DIAGRAM - BUILDINGS D AND E.
J.C. NAPIER HOMES PROJ. TENN. 5-2
 FOR THE NASHVILLE HOUSING AUTHORITY
 NASHVILLE, TENN.


SCALE 5/8" = 1'-0"	MARR & HOLMAN - ARCHITECTS 701-3 STAHLMAN BLDG. NASHVILLE, TENN.	DATE 12-27-37
REVISIONS	APPROVED BY <i>[Signature]</i>	SHEET NO. E 43.
	APPROVED BY <i>[Signature]</i> CHIEF ENGINEER, NASHVILLE HOUSING AUTHORITY	
	APPROVED BY UNITED STATES HOUSING AUTHORITY	




SECOND FLOOR PLAN
SCALE 8"=1'-0"



FIRST FLOOR PLAN
SCALE 8"=1'-0"





BASEMENT PLAN
SCALE 8"=1'-0"



RISER DIAGRAM
DIACRYPHATIC - NOT TO SCALE

ELECTRICAL PLANS FOR BUILDING F

NOTE
ALL TYPICAL DETAIL OR SERIAL IN BUILDING
SHOWING LOCATION OF JUNCTION BOXES
UNDEVELOPED - TAKE BY - SEE BIDDING
REQUIREMENTS IN SHOWING ELSEWHERE ON
ELECTRICAL DRAWINGS.



ELECTRICAL PLANS AND RISER DIAGRAM
BUILDING F
FOR
J.C. NAPIER HOMES PROJ. TENN. 5-2
THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE
1/8" = 1'-0"


MARR & HOLMAN - ARCHITECTS
701-3 STALLMAN BLDG. NASHVILLE, TENN.
APPROVED BY *[Signature]*

APPROVED BY *[Signature]*
CHIEF ENGINEER THE NASHVILLE HOUSING AUTHORITY


APPROVED BY _____
UNION STATES HOUSING AUTHORITY

DATE
12-27-59


SHEET NO.
E
44




SECOND FLOOR PLAN
SCALE 8"=1'-0"



FIRST FLOOR PLAN
SCALE 8"=1'-0"




BASMENT PLAN
SCALE 8"=1'-0"




RISER DIAGRAM
BASIC - NOT TO SCALE

ELECTRICAL PLANS FOR BUILDINGS "G"

NOTE:
ABOVE PLANS AND RISER DIAGRAM APPLY TO BUILDING
UNITS ONLY. SEE DIAGRAM AS TO BUILDINGS ON THIS
SHEET SHOWING LOCATIONS AND SEE TO AREA FOR
EACH BUILDING. SEE ALSO TYPICAL DETAIL OF BENCH
MARKING LOCATION IN JOINTS. MARKS INDICATED
BY BREAK. SCHEDULE OF ALL BUILDING BREAKS IS
SHOWN ELSEWHERE ON ELECTRICAL DRAWINGS.



SECTION
DIAGRAM OF 9 BLDGS



KEY PLAN

ELECTRICAL PLANS & RISER DIAGRAM
BUILDINGS "G"

J.C. NAPIER-HOMES PROJ. TENN. 5-2
FOR THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE: 1/8" = 1'-0"


MARR & HOLMAN ARCHITECTS
701-3 STANLEY BLDG. NASHVILLE, TENN.

APPROVED BY: *J. C. Napier*
CHIEF ENGINEER, THE NASHVILLE HOUSING AUTHORITY


APPROVED BY: *J. A. [Signature]*
CHIEF OF THE NASHVILLE HOUSING AUTHORITY

DATE: 12-27-33


SHEET NO. 45




SECOND FLOOR PLAN
SCALE 1/4" = 1'-0"




SECOND FLOOR PLAN
SCALE 1/4" = 1'-0"



SEC. FL. (END) SECOND FLOOR PLAN
SCALE 1/4" = 1'-0"




SECOND FLOOR PLAN SEC. FL. (END)
SCALE 1/4" = 1'-0"




FIRST FLOOR PLAN
SCALE 1/4" = 1'-0"

3 ROOM UNIT (LEFT)




FIRST FLOOR PLAN
SCALE 1/4" = 1'-0"

3 ROOM UNIT (RIGHT)



FIRST FL. (END) FIRST FLOOR PLAN
LEFT INTERLOCKING UNIT
SCALE 1/4" = 1'-0"

4 1/2 ROOM UNIT (LEFT)



FIRST FL. (END) FIRST FLOOR PLAN
RIGHT INTERLOCKING UNIT
SCALE 1/4" = 1'-0"


4 1/2 ROOM UNIT (RIGHT)

ELECTRICAL UNIT PLANS 3L, 3R, 4 1/2 L AND 4 1/2 R		
J.C. NAPIER HOMES PROS. TENN. 5-2		
THE NASHVILLE HOUSING AUTHORITY NASHVILLE, TENN.		
SCALE 1/4" = 1'-0"	MARR & HOLMAN - ARCHITECTS 701-3 STAHLMAN BLDG. NASHVILLE, TENN.	DATE 12-27-39
REVISIONS	APPROVED BY <i>[Signature]</i>	EMBEDD E
	APPROVED BY <i>[Signature]</i>	46.
	APPROVED BY UNITED STATES HOUSING AUTHORITY	

SCHEDULE OF BUILDING BREAKS

BUILDING TYPE	NR	SIZE	NR	SIZE
A	4	2-0 1/2	1	2-11 1/2
B	2	2-0 1/2	5	2-11 1/2
C	1	2-0 1/2	-	-
D	2	2-0 1/2	2	2-11 1/2
E	3	2-0 1/2	2	2-11 1/2
F	1	2-0 1/2	-	-
G	3	2-0 1/2	2	2-11 1/2
TOTAL	16	2-0 1/2	12	2-11 1/2

ABOVE SCHEDULE OF VERTICAL BREAKS THREE BLDGS. IS FURNISHED THE CONTRACTOR FOR HIS CONVENIENCE IN ESTIMATING PARTICULARLY AS TO NUMBER OF PULL BOXES REQUIRED IN RACEWAYS BETWEEN MAIN DISTRIBUTION PANELS AND INDIVIDUAL LIGHTING PANELS IN KITCHENS CONTRACTOR IS TO VERIFY INFORMATION IN SCHED. SEE DIAGRAM OF E.L.D.G.'S FOR EXACT LOCATION OF BREAKS ON EACH TYPE BLDG.











NOTE: ABOVE DETAIL APPLIES TO POLE GUYS ATTACHED TO BUILDINGS

LEGEND OF SYMBOLS

- CEILING OUTLET. NUMERAL INDICATES CIRCUIT. LETTER INDICATES TYPE OF FIXTURE.
- COMBINATION WALL BRACKET WITH TOGGLE SWITCH AND RECEPTACLE.
- DISTRIBUTION AND METERING PANEL.
- LIGHTING PANEL.
- DWELLING UNIT PANEL WITH DUPLEX RECEPTACLE IN TRIM.
- TELEPHONE RISER AND OUTLET AT CENTER OF CEMENT BASE.
- DUPLEX CONVENIENCE OUTLET.
- MOTOR OUTLET.
- SINGLE POLE SWITCH.
- 3-WAY SWITCH.
- MOTOR DISCONNECT SWITCH.
- WALL FAN OUTLET.
- RANGE OUTLET.
- ELECTRIC WATER HEATER OUTLET.
- CONDUIT RUN CONCEALED IN CEILING.
- CONDUIT RUN CONCEALED IN FLOOR.
- 2 #14 CONDUCTORS IN 1/2" CONDUIT.
- 3 #14 CONDUCTORS IN 1/2" CONDUIT.
- 4 #14 CONDUCTORS IN 1/2" CONDUIT.
- 2 #10-2 CONDUIT UP TO LIGHTING PANEL.
- 2" CONDUIT UP TO TELEPHONE (EMPTY)
- EYEBOLT THROUGH OUTSIDE WALL FOR OVERHEAD TELEPHONE SERVICE.
- CONDUIT NIPPLE THROUGH FOUNDATION WALL UNDER EYEBOLT FOR OVERHEAD TELEPHONE SERVICE ENTRANCE.
- JUNCTION OR PULL BOX.
- TELEPHONE OUTLET CONNECTED BY RACEWAY.
- TELEPHONE CABINET 12"x6"x6" ADMINISTRATION BLDG. ONLY.
- SERVICE HEAD.

NOTE: LOCATION OF DWELLING UNIT PANELS & KITCHEN RECEPTACLES SUBJECT TO ADJUSTMENT TO FIT EQUIPMENT FURNISHED



ELECTRICAL UNIT PLAN 4 1/2-5 1/2 UNIT.
ELEC. PLANS ADM. SERV. CE BLDG.
J.C. NAPIER HOMES PROJ. TENN. 5-2
FOR THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE	MARR & HOLMAN - ARCHITECTS	DATE	12-27-52
AS NOTED	704-3 STAHLMAN BLDG. NASHVILLE, TENN.	APPROVED BY	<i>[Signature]</i>
REVISIONS	APPROVED BY <i>[Signature]</i>	OFFICIAL	<i>[Signature]</i>
	APPROVED BY <i>[Signature]</i>	UNITED STATES HOUSING AUTHORITY	SHEET NO. E 47.

NOTES

ALL TELEPHONE & POWER POLES WITHIN THE PROJECT BOUNDARIES ARE TO BE REMOVED BY THE UTILITY COMPANIES AT NO EXPENSE TO THE CONTRACTOR.

ELEVATIONS SHOWN FOR TOPS OF MAN HOLES & CATCH BASINS ARE APPROXIMATE ONLY AND MUST BE CHECKED AT THE SITE.

INVERT ELEVATIONS OF HOUSE SEWERS ARE APPROXIMATE. IN NO CASE SHALL SEWERS HAVE LESS THAN 2' COVER.

HOUSE SEWERS AND WATER MAINS FOR CONNECTION TO SERVICE LINES OF APARTMENTS SHALL BE CAPPED UNTIL FINAL CONNECTIONS ARE MADE. SEE TYPICAL UNIT PLUMBING PLANS & RISER DIAGRAMS FOR SOIL LINES AND SUPPLY LINES WHICH ARE TO CONNECT WITH THE SEWERS AND WATER MAINS SHOWN ON THIS SHEET.

SEE SHEET FOR DETAILS OF BRICK WALLS & STEEL PLATE COVERS WHERE U MAINS RUN UNDER BUILDINGS.

UNDER THE BASE BID FOR OMISSION OF BUILDING A TO THE 2" HOUSE SERVICE LINE FROM THE CROSS IN THE WATER LINE NEAR METER #8 IN TO BUILDING WILL BE OMITTED AND THE 2" SANITARY SEWER LINE TO THE MAN HOLE NEAR THE EAST END OF THE BUILDING WILL ALSO BE OMITTED, LIKEWISE THE 2" YARD HYDRANTS AND THE 2" LINES SUPPLYING THEM.


CONTRACTOR IS TO FURNISH AND INSTALL WATER METERS, METER BOXES, VALVES AND VALVE BOXES.

DATA ON EXISTING UTILITIES WAS OBTAINED FROM SURVEYS MADE BY COMPETENT ENGINEERS AND FURNISHED BY THE OWNER. IT IS BELIEVED TO BE RELIABLE BUT IS NOT GUARANTEED. THE CONTRACTOR SHALL VERIFY ALL DATA AT THE SITE.

EXISTING MANHOLES AND CATCH BASINS ARE TO BE RAISED OR LOWERED TO CONFORM TO NEW GRADES.

UTILITIES SYMBOLS		
SYMBOLS	ABBREVIATION	DESCRIPTION
—		EXISTING WATER SUPPLY MAIN
—		GAS SUPPLY MAIN
—		COMBINATION STORM & SANITARY SEWER
—		SANITARY SEWER
—		VALVE IN MAIN
⊙	C.B.	CATCH BASIN
⊙	M.H.	MAN HOLE
⊙	A.G.	ALLEY GRATE
⊙	F.H.	FIRE HYDRANT
⊙	C.O.	CLEAN OUT
⊙	D.F.	DRINKING FOUNTAIN
⊙	Y.H.	YARD HYDRANT
—		NEW WATER SUPPLY MAIN
—		STORM SEWER
—		SANITARY SEWER
⊙	C.C.B.	CURB CATCH BASIN
⊙	Y.C.B.	YARD & SERVICE DRIVE CATCH BASIN
⊙	M.H.	MAN HOLE
⊙	W.M.	WATER METER
⊙	V.B.	VALVE BOX & VALVE
⊙		MAN HOLE TO BE REMOVED
⊙		SANITARY SEWER TO BE REMOVED
⊙		EXISTING CATCH BASIN TO BE REMOVED

SCHEDULE OF WATER METER SIZES					
NUMBER OF BUILDINGS SUPPLIED	NUMBER OF APART. UNITS	SIZE OF METER	NO. OF 1-INCH METERS	NOTES	
1	216,081,815	30"	2"	2	ALL METER BOXES TO BE STANDARD CATTERY BOXES AS PER NASHVILLE WATERWORKS DEPT SPECIFICATIONS FOR A BATTERY OF TWO 1-INCH METERS, BUT ONLY ONE METER WILL BE REQUIRED AT CERTAIN LOCATIONS AS LISTED IN THIS SCHEDULE. THE 1-INCH METERS INSTALLED SHALL BE OF A TYPE MEETING THE REQUIREMENTS OF THE NASHVILLE WATERWORKS DEPT.
2	681,081,4719	24"	2"	1	
3	684,188,4280	24"	2"	1	
4	174,073,82	16 APIS & 8 IN.	2"	1	
5	141,165,472	36"	2"	2	
6	141,165,472	24"	2"	1	
7	141,165,472	24"	2"	1	
8	141,165,472	36"	2"	2	
9	141,165,472	24"	2"	1	
10	141,165,472	30"	2"	2	
11	141,165,472	24"	2"	1	
12	141,165,472	30"	2"	2	



NOTE THE 6" WATER MAIN WHICH NOW EXISTS ON THE SITE WHERE BUILDING 684 IS TO BE CONSTRUCTED WILL BE REALIGNED AS SHOWN. THIS REALIGNMENT WILL BE MADE BY THE CITY WATERWORKS DEPT. & COST OF REALIGNMENT PAID BY THE LOCAL AUTHORITY.

SITE PLAN - PLUMBING UTILITIES & SERVICE LINES
SCALE: 1" = 40'

UTILITIES SITE PLAN

J.C. NAPIER HOMES PROJ. TENN. 5-2
FOR THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE: 1" = 40'

DESIGNED BY: MAIR & HOLMAN - ARCHITECTS
701-3 STAHLMAN BLDG. NASHVILLE, TENN.









APPROVED BY: [Signature]

APPROVED BY: [Signature]
CHAIRMAN - THE NASHVILLE HOUSING AUTHORITY

APPROVED BY: [Signature]
UNITED STATES HOUSING AUTHORITY

DATE: 12-27-39

SHEET NO. M 48.






GENERAL NOTES

ALL WORK SHALL BE DONE IN A SUBSTANTIAL WORKMAN-LIKE MANNER AND TRUE TO LINE AND GRADE AS SHOWN ON THE PLANS OR AS DIRECTED BY THE ENGINEER.

WALLS SHALL BE 1" THICK Laid in enough bonded courses; BRICK MUST BE DAMPED IN WATER BEFORE BEING LAID WITH SHOWN JOINTS WALL FILLED WITH MORTAR. ALL BACKS MUST BE NEATLY STRUCK. MORTAR WILL BE MADE IN THE PROPORTION OF ONE PART BY VOLUME OF PORTLAND CEMENT AND TWO PARTS BY VOLUME OF SAND.

ALL BRICK TO BE HARD BURNED COMMON BRICK

STRUCTURES OF 4'-0" DEPTH OR LESS SHALL HAVE SAME SLOPE OR BATTER OF WALLS AS DESIGNATED ABOVE WITH BOTTOMS BEING VARIABLE



DETAILS OF YARD & CURB CATCH BASINS AND VALVE BOX

J.C. NAPIER-HOMES - Proj. TENN. 5-2

THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE: AS NOTED

MARR & HOLMAN - ARCHITECTS
704-3 STAHLMAN BLDG. NASHVILLE TENN.









APPROVED BY: *J. C. Napier-Homes*

APPROVED BY: *J. C. Napier-Homes*


APPROVED BY: *J. C. Napier-Homes*

DATE: 12-27-39


SHEET NO. M 49




DETAILS OF MANHOLES, METER BOXES, VALVE BOXES ETC.		
J.C. NAPIER-HOMES PROJ. TENN. 5-2		
FOR THE NASHVILLE HOUSING AUTHORITY NASHVILLE, TENN.		
SCALE AS NOTED	MARR & HOLMAN - ARCHITECTS 204-3 STANLON BLDG. NASHVILLE, TENN.	DATE 12-27-29
DESIGNED BY	APPROVED BY	SHEET NO. M 50.
APPROVED BY	APPROVED BY	
UNITED STATES HOUSING AUTHORITY		




SECOND FLOOR PLAN



FIRST FLOOR PLAN




FOUNDATION PLAN SHOWING WATER SUPPLY PIPING



FOUNDATION PLAN SHOWING SOIL, WASTE, & VENT PIPING

BUILDING 'G'
Scale: 1/8" = 1'-0"


41	41/2	42	41	41/2	42	2 R
Plan						
SECTION						
DIAGRAM OF 'G' BLDGS						




- PLUMBING LAYOUT - BUILDINGS G -

J.C. NAPIER HOMES PROJ. TENN. 5-2
THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.


SCALE 1/8" = 1'-0"	MARR & HOLMAN - ARCHITECTS 701-3 STAHLMAN BLDG. NASHVILLE, TENN. APPROVED BY <i>[Signature]</i>	DATE 12-27-39
REVISIONS	APPROVED BY <i>[Signature]</i> CHIEF ENGINEER - THE NASHVILLE HOUSING AUTHORITY	SHEET NO. M 56
APPROVED BY <i>[Signature]</i> UNITED STATES HOUSING AUTHORITY		




4 1/2 ROOM UNIT-RIGHT. 4 1/2 ROOM UNIT-LEFT.
PLUMBING OF 4 1/2-5 1/2 ROOM UNITS IS SIMILAR.




4 1/2 ROOM UNIT-RIGHT. 4 1/2 ROOM UNIT-LEFT.
PLUMBING OF 4 1/2-5 1/2 ROOM UNITS IS SIMILAR.




4 1/2 ROOM UNIT-RIGHT. 4 1/2 ROOM UNIT-LEFT.
PLUMBING OF 4 1/2-5 1/2 ROOM UNITS IS SIMILAR.




RISE R DIAGRAM FOR PLUMBING SHAFT NO. 3
APPLIES ONLY WHERE 2 DIPS OF 2 INCHES ARE BACK TO BACK AND HAVE THE SAME FLOOR ELEVATION.
THIS RISE R DIAGRAM IS FOR A 4 1/2 ROOM UNIT BUT APPLIES FOR THE 4 1/2-5 1/2 ROOM UNITS ALSO.




3 ROOM UNIT-LEFT.
3 ROOM UNIT-RIGHT SIMILAR EXCEPT OPP. HAND.



3 ROOM UNIT-LEFT.
3 ROOM UNIT-RIGHT SIMILAR EXCEPT OPP. HAND.



3 ROOM UNIT-LEFT.
3 ROOM UNIT-RIGHT SIMILAR EXCEPT OPP. HAND.



RISE R DIAGRAM
APPLIES IN ALL CASES INCLUDING BUILDINGS WHERE BREAKS IN FLOOR ELEV. OCCUR BETWEEN 1/2 UNIT AND THE UNIT ADJACENT THEREOF.

PLUMBING SYMBOLS APPLYING TO ALL BUILDINGS.

S.W.	SOIL OR WASTE PIPING	T.	TUB
V.	VENT PIPING	C.	WATER CLOSET
C.W.	COLD WATER PIPING	U.	URINAL
H.W.	HOT WATER	R.	KITCHEN RANGE
S.W.V.	STOP & WASTE VALVE	D.	RANGE DRAIN
C.O.	CLEAN OUT	R.V.	RELIEF VALVE
D.T.	DRUM TRAP	F.	FAUCETS
C.I.	CAST IRON	SH.	SHOWER
W.I.	WROUGHT IRON	D.F.	DRINKING FOUNTAIN
T.C.	TERRA COTTA		
S.S.	SLOP SINK		
S.	SINK		
L.T.	LAUNDRY TRAY		
L.	LAUNDRY		


NOTE: THERE ARE A TOTAL OF 11 BREAKS IN FLOORS OF BUILDINGS AT PLUMBING PIPE SHAFTS WHERE KITCHENS AND BATHS BACK TO BACK ARE NOT AT SAME FLOOR ELEVATION BEING EITHER 2 1/8" OR 2 1/2" DIFFERENCE IN LEVEL. THE RISE R DIAGRAMS SHOWN HEREON APPLY ONLY WHERE FLOORS ARE AT SAME ELEVATION ON THE TWO SIDES OF THE PLUMBING SHAFT. WHERE BREAKS OCCUR, THE CONTRACTOR WILL BE REQUIRED TO SUPPLY AND INSTALL THE NECESSARY FITTINGS AND VENTS TO COMPLY WITH THE NASHVILLE CITY PLUMBING CODE. NO DETAILS OF BREAKS ARE SHOWN AS TO PLUMBING. WHERE BREAKS OCCUR THROUGH PLUMBING SHAFTS THE 4" STACKS SHALL BE OFFSET 2'0" FROM THE LINE OF BUILDING BREAK BEFORE PASSING THROUGH THE ROOF.

PLUMBING UNIT PLANS AND RISER DIAGRAMS
J.C. NAPIER-HOMES - PROJ. TENN. 5-2
THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.


SCALE: 1/4" = 1'-0"
DATE: 12-27-59

DESIGNED BY: [Signature]
APPROVED BY: [Signature]
CHECKED BY: [Signature]
APPROVED BY: [Signature]


SHEET NO. M 57
UNITED STATES HOUSING AUTHORITY




PLUMBING RISER DIAGRAMS-ADMINISTRATION BUILDING
SCALE: 1/8"=1'-0"




PLUMBING PLAN - FIRST FLOOR-ADMINISTRATION BUILDING
SCALE: 1/8"=1'-0"




PLUMBING PLAN - BASEMENT-ADMINISTRATION BUILDING
SCALE: 1/8"=1'-0"



HEATING PLAN - BASEMENT-ADMINISTRATION BUILDING
Scale: 1/8"=1'-0"



HEATING PLAN-FIRST FLOOR-ADMINISTRATION BUILDING
Scale: 1/8"=1'-0"



LAYOUT OF STOKER-ADMINISTRATION BLDG.
Scale: 1/4"=1'-0"


PLUMBING & HEATING LAYOUT FOR THE ADM. SERVICE BLDG.		
J.C. NAPIER-HOMES PROJ. TENN. 5-2		
FOR THE NASHVILLE HOUSING AUTHORITY NASHVILLE, TENN.		
SCALE AS NOTED	MARR & HOLMAN ARCHITECTS 701-3 STAHLMAN BLDG. NASHVILLE, TENN.	DATE 12-27-32
REVISIONS	APPROVED BY <i>[Signature]</i>	SHEET NO. M 58
	APPROVED BY <i>[Signature]</i>	
	APPROVED BY <i>[Signature]</i>	

L E W I S S T R E E T

QUANT.	BOTANICAL NAME	COMMON NAME	SIZE
— DECIDUOUS —			
16	LIGUSTRUM SINENSE PANDULA	WEeping PRIVET	3"
29	SPIREA THUNBERGII	THUNBERG'S SPIREA	2"
	SPIREA VANHOUTEI	VAN HOUTTE SPIREA	3"
	HIBISCUS SYRIACUS	ALTHEA (Rose)	3 1/2"
29	CYDONIA JAPONICA	JAPANESE QUINCE	3"
14	LORNICERA FRAGRANTISSIMA	WINTER HONEY-SUCKLE	3"
5	LAGERSTROMIA INDICA	CRABE MYRTLE	3"
7	VITEX AGNUS-CASTUS	CHASTE TREE	3"
8	FRAXINUS NUCIFLORA	GOLDEN OAK	3"
	JASMINEUM NUDIFLORUM	WINTER JASMINE	1"
— BROADLEAF —			
27	COMUNIS PATENS (SANDBAR)	SPREADING COMUNIS	2"
34	JASMINEUM FLORIDUM	JASMINE	1"
37	ABELIA GRANDIFLORA	GLOSSY ABELIA	3"
24	LIGUSTRUM LUCIDUM	GLOSSY JAPANESE PRIVET	3"
(LARGE LEAF TYPE ABSENCE FROM SCHEDULE)			
2	LAURACEAE CAROLINIANA	CHERRY LAUREL	3"
2	ELAEAGNUS RUMEXIFOLIA	OLIVE LEAF	3"
— EVERGREEN —			
24	JUNIPERUS COMMUNIS PITCHER	PITCHER JUNIPER	1 1/2"
— TREES —			
16	ACER SACCHARUM	HARD OR SUGAR MAPLE	14"
4	ULMUS PUMILA	CHINESE ELM	12"
7	CARYA MISSISSIPPIENSIS	NATIVE HICKORY	10"
9	LIGUSTRUM SYRIACUM	SWEET GUM	10"
6	CORNUS FLORIDA	FLOWERING DOGWOOD	6"
6	CORNUS CANADENSIS	RED DOG	6"
— VINES —			
60	HEDERA HELIX GRACILIS	SMALL LEAF EUROPEAN IVY	3"

NOTE:
GROUND GUTTERS ARE TO BE SODDED AND ARE SHOWN ON ARCHT. BLOCK PLAN

NOTE!
THE QUANTITIES IN THE ABOVE SCHEDULE ARE GIVEN FOR THE CONTRACTOR'S CONVENIENCE ONLY. NO RESPONSIBILITY FOR THE COMPLETENESS OF THESE QUANTITIES IS ASSUMED



LANDSCAPING PLAN
BLOCK I
FOR
J.C. NADIER HOMES PROJ. TENN. 5-2
THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.


SCALE: 1" = 20'
REVISIONS: 1-20-40

MARR & HOLMAN - ARCHITECTS
701-3 STAMMANN BLDG. NASHVILLE TENN.
APPROVED BY: [Signature]

DATE: 12-27-39
SHEET NO. L 59.
APPROVED BY: [Signature]
CHIEF OF THE NASHVILLE HOUSING AUTHORITY

LEWIS STREET

PROJECT SITE LINE



QUANTITY	BOTANICAL NAME	COMMON NAME	SIZE
- DELICIOUS TREES -			
11	LIGUSTRUM SINENSE PENNA	WEEPING PRIVET	3'
14	SPIREA THUNBERGII	THUNBERG'S SPIREA	2'
2	SPIREA VANHOUTEI	VAN HOUTTE'S SPIREA	2'
12	HIBISCUS SYRIACUS	ALTHEA (ROSE)	3 1/2'
22	CYDONIA JAPONICA	JAPANESE QUINCE	3'
12	LONICERA FRAGRANT	WINTER HONEY-SUCKLE	3'
4	LONICERA INDICA	CLARE MYRTLE	3'
2	VITEX AGNUS-CASTUS	CHARLIE TREE	3'
3	LIQUIDAMBAR STORACEA	GOLDEN BELL	3'
- TREES -			
20	JASMINEUM MOERLII	WINTER JASMINE	1'
- BEADLEAF EVERGREENS -			
12	EVONYMUS ALATISSIMUS	SPREADING EVONYMUS	2'
36	JASMINEUM FLORIDUM	JASMINE	1'
67	ABELIA GRANDIFLORA	GLOSSY ABELIA	3'
22	LIGUSTRUM LUCIDUM	GLOSSY JAPANESE PRIVET	3'
(LARGE LEAF TREE ABSENTLY PREPARED)			
3	LIQUIDAMBAR STORACEA	CHERRY LINDEN	3'
3	LIQUIDAMBAR STORACEA	BEADLEAF EVONYMUS	3'
- EVERGREENS -			
18	LIQUIDAMBAR STORACEA	WINTER JASMINE	14'
- TREES -			
16	ACER SACCHARUM	HARD OR SUGAR MAPLE	14'
4	ULMUS PUMILA	CHINESE ELM	12'
8	CALYPTROGYNUS	NATIVE HAWKBIT	10'
4	LIQUIDAMBAR STORACEA	SWEET GUM	10'
4	CORNUS FLORIDA	FLOWERING DOGWOOD	6'
6	CRESSA CANADENSIS	DOGWOOD	6'
- VINES -			
60	HECATELLA GRACILIS	SMALL LEAF ENGLISH IVY	2 1/2"

NOTE: GROUND GUTTERS ARE TO BE SODDED AND ARE SHOWN ON ARCHT BLOCK PLAN.

NOTE: THE QUANTITIES IN THE ABOVE SCHEDULE ARE GIVEN FOR THE CONTRACTOR'S CONVENIENCE ONLY. NO RESPONSIBILITY FOR THE COMPLETENESS OF THESE QUANTITIES IS ASSUMED.


LANDSCAPING PLAN
BLOCK II
J.C. NAPIER HOMES PROJ TENN. 5-2
FOR THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.


SCALE: 1" = 20'
REVISIONS: 1-20-60

MARRIAGE HOLMAN - ARCHITECTS
701-3 STAFFMAN BLDG. NASHVILLE, TENN.
APPROVED BY: [Signature]

APPROVED BY: [Signature]
NASHVILLE HOUSING AUTHORITY

DWG: 12-27-59
SHEET NO: L 60





QUANT	BOTANICAL NAME	COMMON NAME	SIZE	QTY
27	UNIDENTIFIED SPECIES	WICKSIA PRUNIFOLIA	8"	27
6	SHIBAUCHIA BREVIFLORA	TORONADO BLUE	2"	2
3	SIBYRICA HYDRANGEA	YAN HONGTU HYDRANGEA	2"	3
	MISLETOE	ALICE CRANE	2"	1
25	CYDONIA JAPONICA	JAPANESE QUINCE	2"	17
	UNIDENTIFIED SPECIES	WINTER HAZEL	2"	3
7	LAGERSTROMIA INCLINATA	CRAB APPLE	2"	2
1	VITIS BACATA	CRABAPPLE	2"	1
4	UNIDENTIFIED SPECIES	GOLDEN BELL	2"	4
64	JASMINE FLORIDUM	WINTER JASMINE	1"	64
	— BROADLEAF —	EVERGREEN		
26	UNIDENTIFIED SPECIES	SPRINGING CUMMINS	2"	22
24	JASMINE FLORIDUM	JASMINE	1"	16
21	ABELIA GRANDIFLORA	GLOSSY ABELIA	2"	27
15	LIQUISTRUM LUCIDUM	GLOSSY JASMINE PLANT	3"	15
	(LARGE LEAF TREE ACTUALLY PROPOSED)			
1	UNIDENTIFIED SPECIES	CHERRY LAUREL	3"	1
2	UNIDENTIFIED SPECIES	COLEUS ELEGANS	2"	2
	— EVERGREENS —			
24	UNIDENTIFIED SPECIES	FEETLES JASMINE	1 1/2"	18
	— TREES —			
6	ALNUS SACCHARINA	HAZEL OR SUGAR HAZEL	1 1/2"	12
5	ALNUS PUMILA	CHINESE ELM	1 1/2"	5
	— ELMS —			
9	UNIDENTIFIED SPECIES	NATIVE HICKORY	10"	9
6	CORNUS FLORIDA	FLOWERING DOGWOOD	6"	6
6	CORNUS CANADENSIS	DOGWOOD	6"	6
	— VINES —			
32	HEDERA HELIX GRACILIS	SHALLOE EMULSIVE	3 1/2"	24

NOTE:
THE QUANTITIES SHOWN IN SCHEDULE ARE GIVEN FOR THE CONTRACTOR'S CONVENIENCE ONLY. NO RESPONSIBILITY FOR COMPLETENESS OF THESE QUANTITIES IS ASSUMED.

THIS COLUMN REPRESENTS TABLE OF ESTIMATED QUANTITIES IF BLDG. A-71 IS OMITTED.

NOTE:
GROUND GUTTERS ARE TO BE SODDED AND ARE SHOWN ON ARCHT. BLOCK PLAN.

NOTE: IF BUILDING 4-71 IS OMITTED, PLANTING SHOW AROUND BUILDING IS TO BE OMITTED AND ALL AREAS SHOWN PLANTED OR COVERED WITH BUILDING TO BE GRASSED FOR LAWN.

PARTIAL PLAN SHOWING PLANTING WITH BUILDING A-71 OMITTED.
(See Specifications)
Scale 1" = 20'

LANDSCAPING PLAN
BLOCK III
J. C. NAPIER HOMES PROJ. TENN. 5-2
FOR THE NASHVILLE HOUSING AUTHORITY
NASHVILLE, TENN.

SCALE: 1" = 20'

DESIGNED BY: MARR & HOLMAN - ARCHITECTS
APPROVED BY: [Signature]
DATE: 12-27-39

REVISIONS: 1-20-40
APPROVED BY: [Signature]
DATE: [Signature]
SHEET NO: L 61

